

CERN-PH-EP-2012-009

Submitted to: Physical Review D

Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

The ATLAS Collaboration

Abstract

A measurement of the cross section for the production of an isolated photon in association with jets in proton-proton collisions at a center-of-mass energy $\sqrt{s} = 7$ TeV is presented. Photons are reconstructed in the pseudorapidity range $|\eta^\gamma| < 1.37$ and with a transverse energy $E_T^\gamma > 25$ GeV. Jets are reconstructed in the rapidity range $|y^{\text{jet}}| < 4.4$ and with a transverse momentum $p_T^{\text{jet}} > 20$ GeV. The differential cross section $d\sigma/dE_T^\gamma$ is measured, as a function of the photon transverse energy, for three different rapidity ranges of the leading- p_T jet: $|y^{\text{jet}}| < 1.2$, $1.2 \leq |y^{\text{jet}}| < 2.8$ and $2.8 \leq |y^{\text{jet}}| < 4.4$. For each rapidity configuration the same-sign ($\eta^\gamma y^{\text{jet}} \geq 0$) and opposite-sign ($\eta^\gamma y^{\text{jet}} < 0$) cases are studied separately. The results are based on an integrated luminosity of 37 pb^{-1} , collected with the ATLAS detector at the LHC. Next-to-leading order perturbative QCD calculations are found to be in fair agreement with the data, except for $E_T^\gamma < 45$ GeV, where the theoretical predictions overestimate the measured cross sections.

Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

G. Aad *et al.**

(ATLAS Collaboration)

(Dated: March 15, 2012)

A measurement of the cross section for the production of an isolated photon in association with jets in proton-proton collisions at a center-of-mass energy $\sqrt{s} = 7$ TeV is presented. Photons are reconstructed in the pseudorapidity range $|\eta^\gamma| < 1.37$ and with a transverse energy $E_T^\gamma > 25$ GeV. Jets are reconstructed in the rapidity range $|y^{\text{jet}}| < 4.4$ and with a transverse momentum $p_T^{\text{jet}} > 20$ GeV. The differential cross section $d\sigma/dE_T^\gamma$ is measured, as a function of the photon transverse energy, for three different rapidity ranges of the leading- p_T jet: $|y^{\text{jet}}| < 1.2$, $1.2 \leq |y^{\text{jet}}| < 2.8$ and $2.8 \leq |y^{\text{jet}}| < 4.4$. For each rapidity configuration the same-sign ($\eta^\gamma y^{\text{jet}} \geq 0$) and opposite-sign ($\eta^\gamma y^{\text{jet}} < 0$) cases are studied separately. The results are based on an integrated luminosity of 37 pb^{-1} , collected with the ATLAS detector at the LHC. Next-to-leading order perturbative QCD calculations are found to be in fair agreement with the data, except for $E_T^\gamma \lesssim 45$ GeV, where the theoretical predictions overestimate the measured cross sections.

PACS numbers: 13.85.Qk, 12.38.Qk

I. INTRODUCTION

At colliders, prompt photons are defined as photons produced in the beam particle collisions and not originating from particle decays. They include both *direct* photons, which originate from the hard process, and *fragmentation* photons, which arise from the fragmentation of a colored high- p_T parton [1, 2]. At the LHC, the production of prompt photons in association with jets in proton-proton collisions, $pp \rightarrow \gamma + \text{jet} + X$, represents an important test of perturbative QCD predictions at large hard-scattering scales (Q^2) and over a wide range of the parton momentum fraction (x). In addition the study of the angular correlations between the photon and the jet can be used to constrain the photon fragmentation functions [3]. Since the dominant $\gamma + \text{jet}$ production mechanism in pp collisions at the LHC is through the $qg \rightarrow q\gamma$ process, the measurement of the photon + jet cross section at high rapidities and low transverse momenta can also be exploited to constrain the gluon density function inside the proton [3–6] for values of the incoming parton momentum fraction x down to $\approx \mathcal{O}(10^{-3})$. For the same reason, this final state can be used to obtain a high purity sample of quark-originated jets [7] that can be exploited to study detector performance with respect to these jets. The same events can also be used to calibrate the jet energy scale by profiting from momentum conservation in the transverse plane and the accurate energy measurement of the photon in the electromagnetic calorimeter [8]. Finally, $\gamma + \text{jet}$ events provide one of the main backgrounds in searches of Higgs bosons decaying to a photon pair [9]. An accurate knowledge of the photon + jet rate and angular distribution can be useful to understand the background level and shape in these

searches.

In this article a measurement of the production cross section of an isolated prompt photon in association with jets, in pp collisions at a center-of-mass energy $\sqrt{s} = 7$ TeV, is presented. Photons are reconstructed in the pseudorapidity range of $|\eta^\gamma| < 1.37$ and in the transverse energy range of $E_T^\gamma > 25$ GeV. The same isolation criterion as used in our measurements of the inclusive isolated prompt photon [10, 11] and diphoton production cross sections [12] is used. It is based on the amount E_T^{iso} of transverse energy deposited in the calorimeters inside a cone of radius $R = \sqrt{(\eta - \eta^\gamma)^2 + (\phi - \phi^\gamma)^2} = 0.4$ centered around the photon direction (defined by η^γ , ϕ^γ) [13]. The measured value of E_T^{iso} is corrected by subtracting both the mean value of the small leakage of the photon energy outside the cluster, evaluated as a function of the photon transverse energy, and the estimated contributions from the underlying event and additional inelastic pp interactions. This correction is computed on an event-by-event basis using the method suggested in Ref. [14, 15]. After the isolation requirement is applied, the relative contribution to the total cross section from fragmentation photons decreases, though it remains non-negligible especially at low transverse energies, below 35-40 GeV [2]. The isolation requirement significantly reduces the main background, which consists of QCD multi-jet events where one jet typically contains a π^0 or η meson which carries most of the jet energy and is misidentified as a prompt photon because it decays into a photon pair. Jets are reconstructed in the rapidity range of $|y^{\text{jet}}| < 4.4$ and transverse momentum range of $p_T^{\text{jet}} > 20$ GeV. The minimum separation between the highest p_T (*leading*) jet and the photon in the $\{\eta, \phi\}$ plane is $\Delta R > 1.0$. The leading jet is required to be in either the *central* ($|y^{\text{jet}}| < 1.2$), *forward* ($1.2 \leq |y^{\text{jet}}| < 2.8$) or *very forward* ($2.8 \leq |y^{\text{jet}}| < 4.4$) rapidity interval.

The differential cross section $d\sigma/dE_T^\gamma$ is measured for

* Full author list given at the end of the article in Appendix D.

each of the three leading jet rapidity categories. Measurements are performed separately for the two cases where the photon pseudorapidity and the leading jet rapidity have same sign ($\eta^\gamma y^{\text{jet}} \geq 0$) or opposite sign ($\eta^\gamma y^{\text{jet}} < 0$), and the results are compared to next-to-leading order (NLO) perturbative QCD theoretical predictions. Separating the selected phase space into these six different angular configurations allows the comparison between data and theoretical predictions in configurations where the relative contribution of the fragmentation component to the total cross section is different, and in different ranges of x , which in the leading-order approximation is equal to $x = \frac{E_T^\gamma}{\sqrt{s}} (e^{\pm\eta^\gamma} + e^{\pm y^{\text{jet}}})$. The differential cross sections are measured up to $E_T^\gamma = 400$ GeV for the central and forward jet configurations, and up to $E_T^\gamma = 200$ GeV for the very forward jet configurations. These measurements cover the region $x \gtrsim 0.001$ and $625 \text{ GeV}^2 \leq Q^2 \equiv (E_T^\gamma)^2 \leq 1.6 \times 10^5 \text{ GeV}^2$, thus extending the kinematic reach of previous photon + jet measurements at hadron [16–19] and electron-proton [20–23] colliders.

II. THE ATLAS DETECTOR

The ATLAS experiment [24] is a multipurpose particle physics detector with a forward-backward symmetric cylindrical geometry and nearly 4π coverage in solid angle.

The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$, and consists of a silicon pixel detector, a silicon microstrip detector, and, for $|\eta| < 2.0$, a transition radiation tracker. The inner detector is surrounded by a thin superconducting solenoid providing a 2T magnetic field.

The electromagnetic calorimeter is a lead-liquid argon sampling calorimeter. It is divided into a barrel section, covering the pseudorapidity region $|\eta| < 1.475$, and two end-cap sections, covering the pseudorapidity regions $1.375 < |\eta| < 3.2$. It consists of three longitudinal layers in most of the pseudorapidity range. The first layer, with a thickness between 3 and 5 radiation lengths, is segmented into high granularity strips in the η direction (width between 0.003 and 0.006 depending on η , with the exception of the regions $1.4 < |\eta| < 1.5$ and $|\eta| > 2.4$), sufficient to provide event-by-event discrimination between single photon showers and two overlapping showers coming from a π^0 decay. The second layer of the electromagnetic calorimeter, which collects most of the energy deposited in the calorimeter by the photon shower, has a thickness around 17 radiation lengths and a cell granularity of 0.025×0.025 in $\eta \times \phi$. A third layer, with thickness varying between 4 and 15 radiation lengths, collects the tails of the electromagnetic showers and provides an additional point to reconstruct the shower barycenter. In front of the calorimeter a thin presampler layer, covering the pseudorapidity interval $|\eta| < 1.8$, is used to correct

for energy loss before the calorimeter. The electromagnetic energy scale is measured using $Z \rightarrow ee$ events with an uncertainty better than 1% [25]. The linearity has been found to be close to 1%. At low $|\eta|$ the stochastic term is $(9 - 10)\% / \sqrt{E[\text{GeV}]}$. However, it worsens as the amount of material in front of the calorimeter increases at larger $|\eta|$. The constant term is measured to be about 1.2% in the barrel and 1.8% in the endcap region up to $|\eta| < 2.47$ which is relevant for this analysis.

A hadronic sampling calorimeter is located outside the electromagnetic calorimeter. It is made of scintillating tiles and steel in the barrel section ($|\eta| < 1.7$), with depth around 7.4 interaction lengths, and of two end-caps of copper and liquid argon, with depth around 9 interaction lengths. Hadronic jets are reconstructed with an energy scale uncertainty of the order of 2.5% in the central to 14% in the very forward regions [26].

The muon spectrometer surrounds the calorimeters. It consists of three large air-core superconducting toroid systems, stations of precision tracking chambers providing accurate muon tracking over $|\eta| < 2.7$, and detectors for triggering over $|\eta| < 2.4$.

Events containing photon candidates are selected by a three-level trigger system. The first level trigger (level-1) is hardware based: using a trigger cell granularity (0.1×0.1 in $\eta \times \phi$) coarser than that of the electromagnetic calorimeter, it searches for electromagnetic clusters within a fixed window of size 0.2×0.2 and retains only those whose total transverse energy in two adjacent trigger cells is above a programmable threshold. The algorithms of the second and third level triggers (collectively referred to as the *high-level trigger*) are implemented in software. The high-level trigger exploits the full granularity and precision of the calorimeter to refine the level-1 trigger selection, based on improved energy resolution and detailed information on energy deposition in the calorimeter cells.

III. COLLISION DATA AND SIMULATED SAMPLES

A. Collision Data

The measurements presented here are based on pp collision data collected at a center-of-mass energy $\sqrt{s} = 7$ TeV in 2010. Only events taken in stable beam conditions are considered and the trigger system, the tracking devices and the calorimeters are also required to be operational. Events are recorded using two single-photon triggers, with nominal transverse energy thresholds of 20 and 40 GeV. During the 2010 data-taking, no prescale was applied to the 40 GeV threshold trigger and the corresponding total integrated luminosity of the collected sample amounts to $\int L dt = 37.1 \text{ pb}^{-1}$ [27, 28]. In this measurement, this threshold is used to collect events in which the photon transverse energy, after reconstruction and calibration, is greater than 45 GeV. During the same

data-taking period the average prescale of the 20 GeV threshold trigger was 5.5, leading to a total integrated luminosity of $(6.7 \pm 0.2) \text{ pb}^{-1}$. This threshold is used in this measurement to collect events in which the photon transverse energy is lower than 45 GeV

The selection criteria applied by the trigger on shower shape variables computed from the energy profiles of the showers in the calorimeters are looser than the photon identification criteria applied in this measurement. Minimum-bias events, triggered by two sets of scintillation counters located at $z = \pm 3.5$ m from the collision center, are used to estimate the single-photon trigger efficiencies for true prompt photons with pseudorapidity $|\eta^\gamma| < 2.37$. The efficiencies are constant and consistent with 100% within the uncertainty (Section VII) for $E_T^\gamma > 43$ GeV and $E_T^\gamma > 23$ GeV for the 40 GeV and 20 GeV threshold triggers, respectively.

In order to reduce non-collision backgrounds, events are required to have a reconstructed primary vertex with at least three associated tracks and consistent with the average beam spot position. The inefficiency of this requirement is negligible in true photon + jet events passing the acceptance criteria. The estimated contribution to the final photon sample from non-collision backgrounds is less than 0.1% and is therefore neglected [10, 11].

The total number of selected events in data after the trigger, data quality and primary vertex requirements is approximately six million.

B. Simulated events

To study the characteristics of signal and background events, simulated samples are generated using PYTHIA 6.423 [29]. The event generator parameters, including those of the underlying event model, are set according to the ATLAS AMBT1 tune [30], and the detector response is simulated using the GEANT4 program [31]. These samples are reconstructed with the same algorithms used for data. More details on the event generation and simulation infrastructure are provided in Ref. [32]. For the evaluation of systematic uncertainties related to the choice of the event generator and parton shower model, alternative samples are generated with HERWIG 6.510 [33]. The HERWIG event generation parameters are set according to the AUET1 tune [34] and the underlying event is generated using JIMMY 4.31 [35] with multiple parton interactions enabled.

The signal sample includes leading order γ + jet events from both $qg \rightarrow q\gamma$ and $q\bar{q} \rightarrow g\gamma$ hard scattering and from quark bremsstrahlung in QCD dijet events. The background sample is generated by using all tree-level $2 \rightarrow 2$ QCD processes, removing γ + jet events from quark bremsstrahlung.

The ratio between selected diphoton and inclusive photon + jet events is estimated to be 0.3% using PYTHIA diphoton samples. Therefore, background from diphoton

events is neglected.

IV. PHOTON AND JET SELECTION

A. Photon selection

Photons are reconstructed from electromagnetic clusters in the calorimeter and from tracking information provided by the inner detector as described in [10]. Both unconverted and converted photon candidates are considered for this measurement. Photons reconstructed near regions of the calorimeter affected by read-out or high-voltage failures are not considered, eliminating around 5% of the selected candidates. Events with at least one photon candidate with transverse energy $E_T^\gamma > 25$ GeV and pseudorapidity $|\eta^\gamma| < 1.37$ are selected. Photons are selected using the same shower-shape and isolation variables discussed in Refs. [10] and [36]. These requirements also suppress backgrounds from jets misidentified as photons. Photon candidates are required to pass *tight* identification criteria based on nine discriminating variables computed from the lateral and longitudinal profiles of the energy deposited in the calorimeters, in particular in the first and second layers of the electromagnetic calorimeter and in the hadronic calorimeter behind it. The photon transverse isolation energy E_T^{iso} is required to be lower than 3 GeV. Less than 0.2% of events have more than one photon candidate passing the selection criteria. In such events the leading- E_T photon is retained.

B. Jet selection

Jets are reconstructed starting from three-dimensional topological clusters built from calorimeter cells, using the infrared- and collinear-safe anti- k_t algorithm [37] with a radius parameter $R = 0.4$. The jet four-momenta are constructed from a sum over their constituents, treating each as an (E, \vec{p}) four-vector with zero mass. The jet four-momenta are then recalibrated using a jet energy scale correction as described in Ref. [26]. The calibration procedure corrects for instrumental effects, such as inactive material and non-compensation, as well as for the additional energy due to multiple pp interactions within the same bunch crossing (*pile-up*). Jets with calibrated transverse momenta greater than 20 GeV are retained for this measurement.

To reject jets reconstructed from calorimeter signals not originating from a pp collision, the same jet quality criteria used in Ref. [26] are applied here. These cuts suppress fake jets from calorimeter noise, cosmic rays and beam-related backgrounds.

Jets overlapping with the candidate photon, or with an isolated electron produced from W or Z decay, are not considered. For this reason, if the jet axis is within a cone of radius 0.3 around the photon, the jet is discarded. Similarly, if the jet axis is within a cone of radius 0.3

around any electron that passes the tight identification criteria [25] and that has calorimeter isolation, E_T^{iso} , less than 4 GeV, the jet is discarded.

The average jet multiplicity after the previous requirements is between 1.3 and 2.0, increasing with E_T^γ . In events with multiple jet candidates, the leading- p_T jet is chosen. In order to retain the event, the leading jet is required to have rapidity $|y^{\text{jet}}| < 4.4$. The leading jet axis is also required not to lie within a cone of radius $R = 1.0$ around the photon direction.

The contamination in the selected sample from pile-up jets is estimated to be negligible, which is consistent with the low pile-up conditions of the 2010 data-taking, when, on average, only two minimum bias events per bunch crossing are expected.

C. Distribution of photon transverse energy in selected events

The number of events after photon and jet selections is 213 003. 96 314 events have been collected with the 20 GeV trigger and have $25 \text{ GeV} < E_T^\gamma \leq 45 \text{ GeV}$, 116 689 events have been collected with the 40 GeV trigger and have $E_T^\gamma > 45 \text{ GeV}$. In 57% of the events the jet is central (32%/25% are in the same/opposite-sign configuration), in 37% of the events the jet is forward (24%/13% are in the same/opposite-sign configuration), and in 6% of the events the jet is very forward (4%/2% are in the same/opposite-sign photon). The photon candidate is reconstructed as unconverted in 68% of the events and as converted in the remaining 32%. The transverse energy distribution of the photon candidates in the selected sample is shown in Fig. 1.

V. BACKGROUND SUBTRACTION AND SIGNAL YIELD ESTIMATION

A non-negligible residual contribution of background is expected in the selected photon + jets sample, even after the application of the tight identification and isolation requirements. The dominant background is composed of dijet events in which one jet is misidentified as a prompt photon, with a tiny contribution from diphoton and W/Z +jets events. In more than 95% of background dijet events, the misidentified jet contains a light neutral meson that carries most of the jet energy and decays to a collimated photon pair. The background yield in the selected sample is estimated *in situ* using a two-dimensional sideband technique as in Ref. [10] and then subtracted from the observed yield. In the background estimate, the photon is classified as:

- Isolated, if $E_T^{\text{iso}} < 3 \text{ GeV}$;
- Non-isolated, if $E_T^{\text{iso}} > 5 \text{ GeV}$;
- Tight, if it passes the tight photon identification criteria;




FIG. 1. Transverse energy distribution of photon candidates in photon + jet events selected in the 2010 ATLAS data, before background subtraction. The distribution is normalized by the integrated luminosity and the transverse energy bin width. Events with $E_T^\gamma \leq 45 \text{ GeV}$ have been collected with the (prescaled) 20 GeV photon trigger. Events with $E_T^\gamma > 45 \text{ GeV}$ have been collected with the (unprescaled) 40 GeV photon trigger.

- Non-tight, if it fails at least one of the tight requirements on four shower shape variables computed from the energy deposits in a few cells of the first layer of the electromagnetic calorimeter, but passes all the other tight identification criteria.

In the two-dimensional plane [10] formed by the photon transverse isolation energy and the photon tight identification variable, we define four regions:

- *A*: the *signal* region, containing tight, isolated photon candidates.
- *B*: the *non-isolated* background control region, containing tight, non-isolated photon candidates.
- *C*: the *non-identified* background control region, containing isolated, non-tight photon candidates.
- *D*: the background control region containing non-isolated, non-tight photon candidates.

The signal yield N_A^{sig} in region *A* is estimated from the number of events in the four regions, N_K ($K \in \{A, B, C, D\}$), through the relation

$$N_A^{\text{sig}} = N_A - (N_B - c_B N_A^{\text{sig}}) \frac{(N_C - c_C N_A^{\text{sig}})}{(N_D - c_D N_A^{\text{sig}})}, \quad (1)$$

where $c_K \equiv N_K^{\text{sig}}/N_A^{\text{sig}}$ are *signal leakage fractions* that can be extracted from simulated signal event samples. Equation 1 leads to a second-order polynomial equation in N_A^{sig} that has only one physical ($N_A^{\text{sig}} > 0$) solution. The only hypothesis underlying Eqn. 1 is that the isolation and identification variables are uncorrelated in

background events. This assumption has been verified both in background simulated samples, and in data in the background-dominated region of $E_T^{\text{iso}} > 7$ GeV. This method was found to return signal yields consistent with the generated ones using a cross section weighted combination of simulated signal and background samples.

The resulting signal purity and signal yield as a function of the photon candidate transverse energy for the six photon and jet angular configurations are shown in Fig. 2. The signal purity typically increases from between 50% and 70% at $E_T^\gamma = 25$ GeV to above 95% for $E_T^\gamma > 150$ GeV. The effect of the non-negligible signal leakage in the background control regions ($c_K \neq 0$) increases the measured purity by 5-6% at $E_T^\gamma = 25$ GeV and $\approx 2\%$ at $E_T^\gamma > 150$ GeV compared to the purity estimated assuming negligible signal in the background regions.

VI. SIGNAL EFFICIENCY AND CROSS SECTION MEASUREMENT

The combined signal trigger, reconstruction, and selection efficiency is evaluated from the simulated signal samples described in Section III B, which include leading order $\gamma + \text{jet}$ events from both hard-scattering (hard subprocesses $qg \rightarrow q\gamma$ and $q\bar{q} \rightarrow g\gamma$) and from quark bremsstrahlung in QCD dijet events. For each of the six angular configurations, efficiency matrices (Λ_{ij}) are constructed, with the indices i and j corresponding to reconstructed and true photon transverse energy intervals, respectively. The efficiency matrices account both for trigger, reconstruction, photon identification efficiencies and for migrations between different bins of the true and reconstructed photon transverse energies due to resolution effects. The matrix elements are determined from the ratios of two quantities. The denominators are defined in the following way:

- The leading truth-level signal photon within the acceptance ($|\eta_{\text{true}}^\gamma| \leq 1.37$) is selected.
- Truth jets are reconstructed using the anti- k_t algorithm with a radius parameter $R = 0.4$ on all the particles with proper lifetime longer than 10 ps, including photons, and the leading truth jet is selected among those with axis separated from the photon direction by $\Delta R > 0.3$. The leading photon and the leading jet are required to be separated by $\Delta R > 1.0$.
- To retain the event the true leading photon is required to have $E_{T,\text{true}}^\gamma > 20$ GeV and to have a truth-particle-level isolation (computed from the true four-momenta of the generated particles inside a cone of radius 0.4 around the photon direction) $E_{T,\text{true}}^{\text{iso}} < 4$ GeV. This truth-particle-level cut has been determined on PYTHIA photon + jet samples

to match the efficiency of the experimental isolation cut at 3 GeV (more details can be found in Ref. [10]). In this case, the same underlying event subtraction procedure used on data has been applied at the truth level. In addition, the leading truth jet is required to have $E_{T,\text{true}}^{\text{jet}} > 20$ GeV and $|y_{\text{true}}^{\text{jet}}| < 4.4$. At the truth level the minimum $E_{T,\text{true}}^\gamma$ is set to 20 GeV to account for possible migrations of photons with true transverse energy below 25 GeV in the reconstructed transverse energy intervals above 25 GeV.

The numerators are determined by applying the selection criteria described in Section IV to the simulated signal samples. Since the simulation does not describe accurately the electromagnetic shower profiles, a correction factor for each simulated shape variable is applied to better match the data. We require the reconstructed isolation energy to be less than 3 GeV. As for the truth level, photons are allowed to have a $E_{T,\text{reco}}^\gamma > 20$ GeV. The reconstructed photon is required to match the truth photon within a cone of radius 0.4 while the reconstructed jet is required to match the truth jet in a cone of radius 0.3. Events which pass the selection at the reconstruction level but fail it at the truth level are properly accounted for in the normalization.

The event selection efficiency typically rises from 50% to 80% as a function of E_T^γ . An inefficiency of around 15% is due to the acceptance loss originating from a few inoperative optical links in the calorimeter readout and from the isolation requirement. An inefficiency decreasing from 20-25% for $E_T^\gamma = 25$ GeV to almost zero at high E_T^γ originates from the shower-shape photon identification selection.

The differential cross section as a function of the photon true transverse energy E_T^{true} is computed in each bin i of E_T^{true} and for each angular configuration k as:

$$\frac{d\sigma_i^k}{dE_T^{\text{true}}} = \frac{N_i^{\gamma,\text{true,isol},k}}{\int L dt \Delta E_{T,i}^{\text{true}}}, \quad (2)$$

where $N_i^{\gamma,\text{true,isol},k}$ is the number of events containing a true isolated photon and hadronic jets, in which the true photon transverse energy is in bin i and the angular configuration formed by the leading photon and jet is k . This number is related to the observed number of events passing the analysis cuts through the efficiency matrices Λ_{ij} :

$$N_i^{\gamma,\text{reco,isol},k} = \sum_j \Lambda_{ij} N_j^{\gamma,\text{true,isol},k} \quad (3)$$

The unfolding procedure allows the reconstruction of the true number of events from the measured distribution, taking into account the measurement uncertainties due to statistical fluctuations in the finite measured sample. The simplest unfolding method is the basic *bin-by-bin* unfolding, which corrects the observed cross section




FIG. 2. Estimated signal purity (left column) and signal yield normalized by bin width and integrated luminosity (right column) in data as a function of the photon transverse energy, for the same-sign angular configurations (full circles) and the opposite-sign angular configurations (open triangles). A small horizontal displacement has been added to the points corresponding to the opposite-sign configurations, so that the error bars are clearly shown. The errors are statistical only. Top row: central jet. Middle row: forward jet. Bottom row: very forward jet.

in bin i with the efficiency obtained from the ratio of selected events to truth events having the photon with reconstructed and true E_T in bin i . A more sophisticated method which properly accounts for migrations between

bins is based on the repeated (iterative) application of Bayes's theorem [38]. The differences in the measured cross section for the two methods are a few percent for events with a central or forward jet and slightly higher

for events with a very forward jet. Since the differences are within the statistical errors of the methods, we used the bin-by-bin method for these results.

VII. SYSTEMATIC UNCERTAINTIES

We have considered the following sources of systematic uncertainties in the cross section measurement (Tables detailing the uncertainties for each E_T^γ bin and each angular configuration are provided in Appendix A):

- Simulation of the detector geometry. The presence of material in front of the calorimeter affects the photon conversion rate and the development of electromagnetic showers. Therefore the cross section measurement uncertainty depends on the accuracy of the detector simulation. The nominal simulation may underestimate the actual amount of material in front of the calorimeters. To quantify the effect of more material on the cross section, the full analysis is repeated using a detector simulation with a conservative estimate of additional material in front of the calorimeter [25]. In this case the photon identification and reconstruction efficiencies are lower than in the nominal case. The increase in cross section is assigned as a positive systematic uncertainty. In the central and forward jet configurations the systematic uncertainty varies from 5% to 8% for photons with $25 \text{ GeV} < E_T^\gamma \leq 45 \text{ GeV}$ and from 1% to 5% for $E_T^\gamma > 45 \text{ GeV}$. In the very forward jet configurations the uncertainty is similarly estimated to range from 10% to 23%.
- Photon simulation. In order to take into account the uncertainty on the event generation and the parton shower model, four additional samples are used: PYTHIA or HERWIG samples containing only hard-scattering photons and PYTHIA or HERWIG samples containing only photons from quark bremsstrahlung. The analysis is repeated using these samples, and the largest positive and negative deviations from the nominal cross section are taken as systematic uncertainties. The deviations are mainly positive, varying from 4% to 16% depending on E_T^γ or the angular configuration.
- Jet and photon energy scale and resolution uncertainties. The cross section uncertainty is determined by varying the electromagnetic and the jet energy scales and resolutions within their uncertainties [25, 26]. The effect on the cross section is found to be negligible, with the exception of the effect of the jet energy scale uncertainty, which affects mainly the first E_T^γ bin due to the efficiency of the 20 GeV threshold on p_T^{jet} . For the angular configurations including one central or one forward jet this effect is 3% to 7%, for the configurations containing one very forward jet it is 9% to 20%.
- Uncertainty on the background correlation in the two-dimensional sidebands method. The isolation and identification variables are assumed to be independent for fake photon candidates. This assumption was verified using both data and simulated background samples and was found to be valid within a 10% uncertainty for configurations including a central or a forward jet and within a 25% uncertainty for configurations including a very forward jet. The cross section is recomputed accounting for these possible correlations in the background subtraction [10], and the difference with the nominal result is taken as a systematic uncertainty. This procedure gives a systematic uncertainty on the cross section of 3% and 6% in the first E_T^γ bin for these groups of configurations respectively. This uncertainty decreases rapidly with increasing E_T^γ , being proportional to $1 - P$, where P is the signal purity.
- Background control regions definition in the two-dimensional sidebands method. The measurement is repeated using a different set of background identification or isolation criteria in the purity calculation, and the difference between the new cross section and the nominal result is taken as a systematic uncertainty. For background identification, three or five shower shape variables are reversed instead of four as in the nominal case (more details can be found in Ref. [10]). The deviations on the cross section range from 5% in the central jet configurations to 12% in the forward jet configurations, all decreasing with increasing E_T^γ . Varying the isolation cut by $\pm 1 \text{ GeV}$ results in less than 1% difference in the cross section.
- Data-driven correction to the photon efficiency. The simulated photon shapes in the calorimeter have been corrected in order to improve the agreement with the data. The systematic uncertainty related to the correction procedure is computed using different simulated photon samples and a different simulation of the ATLAS detector and is estimated to be of the order of 1% to 4% in the first E_T^γ bin and lower than 1% elsewhere [11].
- Uncertainty on the trigger efficiency. The trigger efficiency in the simulation is consistent with the one measured in data, using a bootstrap method, within the total uncertainty of the *in situ* measurement (0.6% uncertainty for $E_T^\gamma \leq 45 \text{ GeV}$ and 0.4% for $E_T^\gamma > 45 \text{ GeV}$). These uncertainties are added to the total systematic uncertainty on the cross section.
- Uncertainty on the jet reconstruction efficiency. The simulation is found to reproduce data jet reconstruction efficiencies to better than 2% [39]. A 2% systematic uncertainty to the cross section is assigned.

- Uncertainty on the simulated jet multiplicity. The LO generators used to estimate the signal efficiencies do not reproduce precisely the jet multiplicity observed in data, and the signal efficiency could depend on the multiplicity. Reweighting the simulation in order to reproduce the jet multiplicity observed in data changes the cross section by less than 1%, which is taken as a systematic uncertainty.
- Uncertainty on the integrated luminosity. It has been determined to be 3.4% [27, 28].
- Isolated electron background. Possible backgrounds may arise from W +jets where the W decays into an electron misidentified as photon, and $W+\gamma$ where the W decays into an electron misidentified as a jet. Additional backgrounds may originate from $Z \rightarrow ee$ where an electron may be misidentified as a photon, and combined with the jet arising from the misidentification of the other electron or with a jet from the rest of the event (in Z +jets). Using simulated samples of these processes, scaled to their cross sections measured in [40–42], the total isolated electron background is estimated to be less than 1.5% of the signal yield measured in data in each photon E_T^γ bin. Therefore an asymmetric systematic uncertainty ($+0.0$ / -1.5)% on the measured cross section is assigned.

The sources of systematic uncertainty discussed above are considered as uncorrelated and thus the total systematic uncertainty (listed in the tables in Appendix C) is estimated by summing in quadrature all the contributions.

VIII. THEORETICAL PREDICTIONS

The expected production cross section of an isolated photon in association with jets as a function of the photon transverse energy E_T^γ is estimated using JETPHOX 1.3 [1]. JETPHOX is a parton-level Monte Carlo generator which implements a full NLO QCD calculation of both the direct and fragmentation contributions to the cross section. A parton level isolation cut, requiring a total transverse energy below 4 GeV from the partons produced with the photon inside a cone of radius $\Delta R = 0.4$ in $\eta \times \phi$ around the photon direction, is used for this computation. The NLO photon fragmentation function [43] and the CT10 parton density functions [44] are used. The nominal renormalization (μ_R), factorization (μ_F) and fragmentation (μ_f) scales are set to the photon transverse energy E_T^γ . Jets of partons are reconstructed by using an anti- k_T algorithm with a radius parameter $R = 0.4$. The same transverse momentum and rapidity criteria applied in the measurement to the reconstructed objects are used in the JETPHOX generation for the photon and the leading- p_T jet. As for data, the event is kept if the two objects are separated by $\Delta R > 1.0$ in $\{\eta, \phi\}$. With this setup

the fragmentation contribution to the total cross section decreases as a function of E_T^γ , from 10% to 1.5% for the same-sign, central jet configuration while it varies from 22% to 2.5% in the same-sign, very forward jet configuration. In the opposite-sign configurations the fragmentation contribution is 20% to 50% (depending on E_T^γ and the jet rapidity) higher than in the corresponding same-sign configurations.

The JETPHOX cross section does not include underlying event, pile-up or hadronization effects. While the ambient-energy density correction of the photon isolation removes the effects from underlying event and pile-up on the photon side, potential differences between the JETPHOX theoretical cross section and the measured one may arise from the application of the jet selection, in particular the transverse momentum threshold of 20 GeV. This cut is applied at parton-level in JETPHOX while it is applied to particle jets in the measured cross section and in the fully simulated PYTHIA and HERWIG samples.

One effect of hadronization is to spread energy outside of the jet area, so the jet p_T will tend to be lower than that of the originating parton(s); on the other hand, the underlying event adds extra particles to the jet candidate and results in the increase of the jet p_T . To estimate these effects we use the simulated signal PYTHIA samples with and without hadronization and underlying event, and subsequently we multiply each bin of the JETPHOX cross sections by these ratios. These correction factors are smaller than one (around 0.9-0.95) at low E_T^γ , indicating that the impact of hadronization on the jet p_T is more important than the extra energy added from the underlying event and pile-up. The correction factors are consistent with one at high E_T^γ . This finding is in agreement with the expectations, since the photon and the jet transverse momenta are correlated and for large E_T^γ the $p_T > 20$ GeV cut becomes fully efficient both at parton- and particle-level.

The systematic uncertainties on the QCD cross sections computed with JETPHOX are estimated in the following way:

- The scale uncertainty is evaluated by fixing any two scales to the nominal value and varying the third between 0.5 and 2.0 times the nominal value. In addition the effect of the coherent scale variations where all three scales are varied together is also taken into account. The envelope of the values obtained with the different scale configurations is taken as a systematic uncertainty. This leads to a change of the predicted cross section between 15% at low E_T^γ and 10% at high E_T^γ .
- The uncertainty on the cross section from the PDF uncertainty has been obtained by varying the PDFs within the 68% confidence level intervals. The corresponding uncertainty on the cross section varies between 5% and 2% as E_T^γ increases. Using a different set of PDFs, such as MSTW 2008 [45] or NNPDF

2.1 [46], the computed cross sections vary always within the total systematic uncertainty on the predicted cross section.

- The uncertainty on the correspondence between parton level and particle level isolation cut has been evaluated by varying the cut between 3 and 5 GeV. This variation changes the predicted cross section by a few percent for the central configuration but becomes more important for the forward and very forward configurations, where the fragmentation contribution to the cross section is larger.
- The uncertainty on the hadronization and underlying event corrections is estimated as the maximum spread of the correction factors obtained from PYTHIA using both the nominal and the Perugia 2010 tunes [47] and with HERWIG++ 2.5.1 with the UE7000-2 tune [48].

The expected cross sections with their full statistic and systematic uncertainties for all angular configurations under study are summarised in Appendix B.

IX. COMPARISON BETWEEN DATA AND THEORY

The measured E_T^γ -differential cross sections in the six photon-jet angular configurations under study are shown, with the theoretical cross sections overlaid, in Fig. 3. The ratio between data and theory is also plotted, showing the relative deviation of the measured cross section from the predicted cross section across the full E_T^γ range on a linear scale. The error bars represent the combination of statistical and systematic uncertainties, but are dominated by systematic uncertainties in all regions. The numerical results are presented in Appendix C.

The NLO pQCD predictions provided by JETPHOX are in fair agreement with the measured cross sections considering the given experimental and theoretical systematic uncertainties. As already observed in previous measurements of the inclusive prompt photon cross section at the LHC [10, 11, 49], the data are consistently lower than the theoretical prediction in the $E_T^\gamma < 45$ GeV region, possibly suggesting an inaccuracy at low E_T^γ of the NLO predictions and the need to perform the theoretical calculations at a higher order in perturbation theory.

X. CONCLUSION

A measurement of the production cross section of an isolated prompt photon in association with jets in pp collisions at a center-of-mass energy $\sqrt{s} = 7$ TeV is presented. The measurement uses an integrated luminosity of 37 pb^{-1} and covers the region $x \gtrsim 0.001$ and $625 \text{ GeV}^2 \leq Q^2 \leq 1.6 \times 10^5 \text{ GeV}^2$, thus extending into kinematic regions previously unexplored with this final

state at either hadron or electron-proton colliders. The differential cross section $d\sigma/dE_T^\gamma$, as a function of the photon transverse energy, has been determined for isolated photons in the pseudorapidity range $|\eta^\gamma| < 1.37$ and transverse energy $E_T^\gamma > 25$ GeV, after integration over the jet transverse momenta for $p_T^{\text{jet}} > 20$ GeV. A minimum separation of $\Delta R > 1.0$ in the $\{\eta, \phi\}$ plane is required between the leading jet and the photon. The cross sections are presented separately for the three jet rapidity intervals $|y^{\text{jet}}| < 1.2$, $1.2 \leq |y^{\text{jet}}| < 2.8$ and $2.8 \leq |y^{\text{jet}}| < 4.4$, distinguishing between the same-sign ($\eta^\gamma y^{\text{jet}} \geq 0$) and opposite-sign ($\eta^\gamma y^{\text{jet}} < 0$) configurations. This subdivision allows the comparison between data and NLO perturbative QCD predictions in configurations where the relative contribution of the fragmentation component to the cross section and the explored ranges of the incoming parton momentum fraction x are different. The NLO pQCD cross sections provided by JETPHOX are in fair agreement with the measured ones considering the typical (10% to 30%) experimental and theoretical systematic uncertainties. In the $E_T^\gamma < 45$ GeV region, the NLO QCD calculation consistently overestimates the measured cross section, as observed in previous determinations of the inclusive prompt photon production cross section.

XI. ACKNOWLEDGEMENTS

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhi, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF




FIG. 3. Top graphs: experimental (black dots) and theoretical (blue line) photon + jet production cross sections, for the three same-sign (left column) and the three opposite-sign (right column) angular configurations. The black error bars represent the total experimental uncertainty. The blue bands show the total uncertainties on the theoretical predictions obtained with JETPHOX. Bottom graphs: ratio between the measured and the predicted cross sections. The blue bands show the theoretical uncertainties while the error bars show the experimental uncertainties. First row: $|y^{\text{jet}}| < 1.2$. Second row: $1.2 \leq |y^{\text{jet}}| < 2.8$. Third row: $2.8 \leq |y^{\text{jet}}| < 4.4$.

(Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF

(Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

-
- [1] S. Catani *et al.*, *JHEP* **05**, 028 (2002).
- [2] P. Aurenche *et al.*, *Phys. Rev. D* **73**, 094007 (2006).
- [3] Z. Belghobsi *et al.*, *Phys. Rev. D* **79**, 114024 (2009).
- [4] E. N. Argyres, A. P. Contogouris, N. Mebarki, and S. D. P. Vlassopoulos, *Phys. Rev. D* **35**, 1584 (1987).
- [5] P. Aurenche, R. Baier, M. Fontannaz, J. F. Owens, and M. Werlen, *Phys. Rev. D* **39**, 3275 (1989).
- [6] D. d’Enterria and J. Rojo, “Quantitative constraints on the gluon distribution function in the proton from collider isolated-photon data,” (2012), [arXiv:1202.1762 \[hep-ph\]](#).
- [7] J. Gallicchio and M. D. Schwartz, “Pure Samples of Quark and Gluon Jets at the LHC,” (2011), [arXiv:1104.1175 \[hep-ph\]](#).
- [8] ATLAS Collaboration, *ATLAS-CONF-2011-031* (2011).
- [9] ATLAS Collaboration, *Eur. Phys. J. C* **71**, 1728 (2011).
- [10] ATLAS Collaboration, *Phys. Rev. D* **83**, 052005 (2011).
- [11] ATLAS Collaboration, *Phys. Lett. B* **706**, 150 (2011).
- [12] ATLAS Collaboration, *Phys.Rev.* **D85**, 012003 (2011).
- [13] The ATLAS reference system is a Cartesian right-handed coordinate system, with the nominal collision point at the origin. The anticlockwise beam direction defines the positive z -axis, while the positive x -axis is defined as pointing from the collision point to the center of the LHC ring and the positive y -axis points upwards. The azimuthal angle ϕ is measured around the beam axis, and the polar angle θ is measured with respect to the z -axis. Pseudorapidity is defined as $\eta = -\ln \tan(\theta/2)$, and transverse energy is defined as $E_T = E \sin \theta$.
- [14] M. Cacciari, G. P. Salam, and G. Soyez, *JHEP* **04**, 005 (2008).
- [15] M. Cacciari, G. P. Salam, and S. Sapeta, *JHEP* **04**, 065 (2010).
- [16] V. M. Abazov *et al.* (D0 Collaboration), *Phys. Lett. B* **666**, 435 (2008).
- [17] F. Abe *et al.* (CDF Collaboration), *Phys. Rev. D* **57**, 67 (1998).
- [18] T. Akesson *et al.* (Axial Field Spectrometer Collaboration), *Z. Phys. C* **34**, 293 (1987).
- [19] J. Alitti *et al.* (UA2 Collaboration), *Phys. Lett. B* **299**, 174 (1993).
- [20] F. D. Aaron *et al.* (H1 Collaboration), *Eur. Phys. J. C* **66**, 17 (2010).
- [21] F. D. Aaron *et al.* (H1 Collaboration), *Eur. Phys. J. C* **54**, 371 (2008).
- [22] S. Chekanov *et al.* (ZEUS Collaboration), *Eur. Phys. J. C* **49**, 511 (2007).
- [23] S. Chekanov *et al.* (ZEUS Collaboration), *Phys. Lett. B* **595**, 86 (2004).
- [24] ATLAS Collaboration, *JINST* **3**, S08003 (2008).
- [25] ATLAS Collaboration, “Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data,” (2011), accepted by *Eur. Phys. J. C*, [arXiv:1110.3174 \[hep-ex\]](#).
- [26] ATLAS Collaboration (ATLAS Collaboration), “Jet energy measurement with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV,” (2011), submitted to *Eur. Phys. J. C*, [arXiv:1112.6426 \[hep-ex\]](#).
- [27] ATLAS Collaboration, *Eur. Phys. J. C* **71**, 1630 (2011).
- [28] ATLAS Collaboration, *ATLAS-CONF-2011-011* (2011).
- [29] T. Sjöstrand, S. Mrenna, and P. Z. Skands, *JHEP* **05**, 026 (2006).
- [30] ATLAS Collaboration, *ATLAS-CONF-2010-031* (2010).
- [31] S. Agostinelli *et al.* (GEANT4), *Nucl. Instrum. Methods A* **506**, 250 (2003).
- [32] ATLAS Collaboration, *Eur. Phys. J. C* **70**, 823 (2010).
- [33] G. Corcella *et al.*, *JHEP* **01**, 010 (2001).
- [34] ATLAS Collaboration, *ATL-PHYS-PUB-2010-014* (2010).
- [35] J. M. Butterworth, J. R. Forshaw, and M. H. Seymour, *Z. Phys. C* **72**, 637 (1996).
- [36] ATLAS Collaboration, *ATL-PHYS-PUB-2011-007* (2011).
- [37] M. Cacciari, G. P. Salam, and G. Soyez, *JHEP* **04**, 063 (2008).
- [38] G. D’Agostini, *Nucl. Instrum. Methods A* **362**, 487 (1995).
- [39] ATLAS Collaboration, “Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector,” (2011), submitted to *Phys. Rev. D*, [arXiv:1112.6297 \[hep-ex\]](#).
- [40] ATLAS Collaboration, “Study of jets produced in association with a W boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” (2012), accepted by *Phys. Rev. D*, [arXiv:1201.1276 \[hep-ex\]](#).
- [41] ATLAS Collaboration, *ATLAS-CONF-2011-013* (2011).
- [42] ATLAS Collaboration, “Measurement of the inclusive W^\pm and Z/γ cross sections in the electron and muon decay channels in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector,” (2011), accepted by *Phys. Rev. D*, [arXiv:1109.5141 \[hep-ex\]](#).
- [43] L. Bourhis, M. Fontannaz, J. P. Guillet, and M. Werlen, *Eur. Phys. J. C* **19**, 89 (2001).
- [44] J. Pumplin *et al.*, *JHEP* **07**, 012 (2002).
- [45] A. Martin, W. Stirling, R. Thorne, and G. Watt, *Eur. Phys. J. C* **63**, 189 (2009).
- [46] R. D. Ball, V. Bertone, F. Cerutti, L. Del Debbio, S. Forte, *et al.*, *Nucl. Phys. B* **849**, 296 (2011).
- [47] P. Z. Skands, *Phys. Rev. D* **82**, 074018 (2010).
- [48] M. Bahr, S. Gieseke, M. Gigg, D. Grellscheid, K. Hamilton, *et al.*, *Eur. Phys. J. C* **58**, 639 (2008).
- [49] CMS Collaboration, *Phys.Rev.* **D84**, 052011 (2011).

Appendix A: Experimental systematic uncertainties

TABLE I. Relative systematic uncertainty (%) introduced by the detector simulation. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	+8.4 -0.0	+7.0 -0.0	+5.6 -0.0	+5.8 -0.0	+10.7 -0.0	+22.6 -0.0
45-400(200)	+0.9 -0.0	+1.8 -0.0	+4.7 -0.0	+1.6 -0.0	+10.7 -0.0	+22.6 -0.0

TABLE II. Relative systematic uncertainty (%) introduced by the prompt photon simulation. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	+13.8 -4.0	+15.5 -5.7	+10.8 -5.2	+9.2 -11.3	+2.1 -5.0	+14.3 -4.5
45-85	+7.6 -2.1	+8.3 -1.7	+5.8 -1.5	+8.2 -2.3	+8.0 -3.4	+15.5 -10.8
85-150(200)	+6.2 -0.6	+3.6 -1.3	+5.0 -0.8	+0.7 -0.4	+1.1 -2.5	+10.2 -7.9
150-400	+5.1 -0.4	+6.9 -0.9	+3.6 -0.7	+2.4 -5.4	n/a	n/a

TABLE III. Relative systematic uncertainty (%) introduced by the electromagnetic energy scale uncertainty. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	+1.1 -0.6	+1.0 -0.6	+1.2 -0.4	+1.1 -0.5	+1.4 -0.7	+1.4 -1.0
45-85	+2.2 -0.7	+2.7 -0.9	+2.0 -0.9	+3.1 -0.9	+3.7 -1.1	+3.7 -0.1
85-150(200)	+2.4 -0.6	+2.3 -1.1	+2.8 -1.0	+2.7 -1.4	+4.7 -2.7	+3.6 -1.5
150-400	+2.9 -1.4	+2.5 -1.4	+2.8 -0.9	+3.7 -0.9	n/a	n/a

TABLE IV. Relative systematic uncertainty (%) introduced by the jet energy scale uncertainty. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	+4.0 -3.6	+4.2 -3.8	+6.8 -5.4	+6.6 -5.9	+18.4 -9.4	+21.4 -9.6
45-85	+0.2 -0.3	+0.3 -0.2	+0.9 -0.9	+1.5 -0.5	+5.2 -2.5	+7.6 -7.2
85-150(200)	+0.1 -0.1	+0.3 -0.3	+0.1 -0.0	+0.0 -0.1	+1.2 -1.5	+1.7 -0.0
150-400	+0.0 -0.0	+0.0 -0.0	+0.0 -0.1	+0.1 -0.1	n/a	n/a

TABLE V. Relative systematic uncertainty (%) introduced by the electromagnetic energy resolution uncertainty. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	+0.1 -0.1	+0.1 -0.0	+0.0 -0.1	+0.3 -0.0	+0.0 -0.0	+0.4 -0.1
45-85	+0.3 -0.2	+0.0 -0.2	+0.1 -0.2	+0.0 -0.6	+0.8 -0.7	+0.0 -0.8
85-150(200)	+0.0 -0.1	+0.3 -0.1	+0.3 -0.0	+0.1 -0.0	+0.1 -1.2	+0.6 -0.1
150-400	+0.1 -0.0	+0.1 -0.0	+0.1 -0.1	+0.0 -0.4	n/a	n/a

TABLE VI. Relative systematic uncertainty (%) introduced by the jet energy resolution uncertainty. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	+0.1 -0.0	+0.0 -0.0	+0.3 -0.0	+0.2 -0.0	+0.0 -0.2	+0.6 -0.0
45-85	+0.0 -0.1	+0.1 -0.0	+0.0 -0.3	+0.7 -0.0	+0.7 -0.0	+0.0 -0.7
85-150(200)	+0.0 -0.0	+0.1 -0.0	+0.1 -0.0	+0.0 -0.5	+0.1 -0.0	+1.5 -0.0
150-400	+0.0 -0.0	+0.0 -0.0	+0.0 -0.0	+0.2 -0.0	n/a	n/a

TABLE VII. Relative systematic uncertainty (%) introduced by the background correlation. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	± 1.6	± 1.9	± 2.0	± 2.8	± 5.4	± 6.3
45-85	± 0.7	± 0.6	± 0.7	± 1.1	± 1.6	± 3.4
85-150(200)	± 0.3	± 0.4	± 0.2	± 0.5	± 0.2	± 0.8
150-400	± 0.1	± 0.2	± 0.8	± 0.6	n/a	n/a

TABLE VIII. Relative systematic uncertainty (%) introduced by the tightness control region in the purity extraction method. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	± 4.9	± 5.5	± 6.0	± 8.0	± 10.6	± 12.2
45-85	± 1.3	± 2.0	± 2.1	± 3.0	± 2.4	± 3.3
85-150(200)	± 0.2	± 0.2	± 0.6	± 0.0	± 2.5	± 2.4
150-400	± 0.9	± 0.5	± 1.2	± 1.4	n/a	n/a

TABLE IX. Relative systematic uncertainty (%) introduced by the isolation control region in the purity extraction method. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	± 0.3	± 0.3	± 0.3	± 0.7	± 0.8	± 0.4
45-85	± 0.3	± 0.3	± 0.4	± 0.3	± 0.7	± 0.3
85-150(200)	± 0.1	± 0.1	± 0.2	± 0.1	± 0.3	± 0.2
150-400	± 0.1	± 0.3	± 0.4	± 0.1	n/a	n/a

TABLE X. Relative systematic uncertainty (%) introduced by the shower shape corrections uncertainty. The E_T^γ limits for the very forward jet configurations are given in parentheses.

E_T^γ range [GeV]	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} \geq 0$	$ y^{\text{jet}} < 1.2$ $\eta^\gamma y^{\text{jet}} < 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} \geq 0$	$1.2 \leq y^{\text{jet}} < 2.8$ $\eta^\gamma y^{\text{jet}} < 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} \geq 0$	$2.8 \leq y^{\text{jet}} < 4.4$ $\eta^\gamma y^{\text{jet}} < 0$
25-45	+2.9 -0.8	+2.6 -0.7	+3.5 -0.9	+3.9 -0.9	+3.3 -1.0	+2.5 -0.9
45-85	+1.0 -0.3	+1.3 -0.4	+1.1 -0.3	+1.4 -0.4	+1.4 -0.5	+0.0 -2.0
85-150(200)	+0.2 -0.1	+0.0 -0.1	+0.3 -0.0	+0.0 -0.3	+0.0 -1.3	+0.8 -0.0
150-400	+0.2 -0.1	+0.2 -0.0	+0.2 -0.1	+0.3 -0.0	n/a	n/a

Appendix B: Theoretical photon + jet cross section

TABLE XI. NLO pQCD cross section prediction for the production of an isolated photon in the pseudorapidity range $0.00 \leq |\eta^\gamma| < 1.37$ in association with a jet in the rapidity range $|y^{\text{jet}}| < 1.2$ and $p_T^{\text{jet}} > 20$ GeV ($\eta^\gamma y^{\text{jet}} \geq 0$). The NLO pQCD cross section has been computed with JETPHOX 1.3 using CT10 PDFs. Details on the calculation of the uncertainties are discussed in Section VIII. In the last column the non-perturbative correction factor that must multiply the JETPHOX cross section is shown, with its uncertainty.

E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	scale	PDF	isolation	correction
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	factor
25	30	550	± 6	+41 -41	+28 -36	+9 -0	0.927 ± 0.036
30	35	331	± 3	+51 -19	+16 -20	+2 -0	0.951 ± 0.034
35	45	156	± 1	+14 -13	+7 -8	+0 -2	0.983 ± 0.026
45	55	60.4	± 0.4	+6.6 -3.4	+2.7 -2.7	+0.6 -0.0	0.992 ± 0.020
55	70	24.2	± 0.2	+2.1 -1.6	+1.0 -0.9	+0.0 -0.3	1.002 ± 0.025
70	85	9.26	± 0.06	+0.92 -0.85	+0.34 -0.34	+0.00 -0.14	0.995 ± 0.026
85	100	4.21	± 0.03	+0.37 -0.34	+0.14 -0.14	+0.01 -0.04	1.001 ± 0.022
100	125	1.76	± 0.01	+0.16 -0.13	+0.05 -0.06	+0.00 -0.01	0.996 ± 0.017
125	150	0.699	± 0.004	+0.061 -0.056	+0.019 -0.020	+0.005 -0.007	0.992 ± 0.018
150	200	0.236	± 0.001	+0.024 -0.018	+0.006 -0.007	+0.001 -0.003	0.997 ± 0.016
200	400	0.0266	± 0.0001	+0.0026 -0.0023	+0.0008 -0.0008	+0.0000 -0.0002	0.988 ± 0.026

TABLE XII. NLO pQCD cross section prediction for the production of an isolated photon in the pseudorapidity range $0.00 \leq |\eta^\gamma| < 1.37$ in association with a jet in the rapidity range $|y^{\text{jet}}| < 1.2$ and $p_T^{\text{jet}} > 20$ GeV ($\eta^\gamma y^{\text{jet}} < 0$). The NLO pQCD cross section has been computed with JETPHOX 1.3 using CT10 PDFs. Details on the calculation of the uncertainties are discussed in Section VIII. In the last column the non-perturbative correction factor that must multiply the JETPHOX cross section is shown, with its uncertainty.

E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	scale	PDF	isolation	correction
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	factor
25	30	420	± 5	+49 -40	+21 -29	+8 -0	0.925 ± 0.041
30	35	261	± 2	+27 -40	+11 -21	+0 -7	0.943 ± 0.049
35	45	118	± 1	+17 -16	+6 -6	+2 -0	0.980 ± 0.032
45	55	47.0	± 0.3	+4.3 -6.6	+2.6 -1.9	+0.0 -0.7	0.979 ± 0.029
55	70	17.2	± 0.1	+2.8 -1.6	+0.8 -0.7	+0.0 -0.5	0.982 ± 0.025
70	85	6.72	± 0.05	+0.62 -0.74	+0.28 -0.26	+0.03 -0.02	0.995 ± 0.018
85	100	2.93	± 0.02	+0.34 -0.25	+0.11 -0.11	+0.03 -0.00	0.981 ± 0.031
100	125	1.24	± 0.01	+0.14 -0.12	+0.04 -0.04	+0.01 -0.02	0.989 ± 0.025
125	150	0.469	± 0.003	+0.053 -0.039	+0.015 -0.016	+0.005 -0.007	0.992 ± 0.027
150	200	0.159	± 0.001	+0.020 -0.015	+0.005 -0.005	+0.001 -0.001	0.984 ± 0.019
200	400	0.0169	± 0.0001	+0.0017 -0.0015	+0.0007 -0.0007	+0.0003 -0.0000	0.991 ± 0.026

TABLE XIII. NLO pQCD cross section prediction for the production of an isolated photon in the pseudorapidity range $0.00 \leq |\eta^\gamma| < 1.37$ in association with a jet in the rapidity range $1.2 \leq |y^{\text{jet}}| < 2.8$ and $p_T^{\text{jet}} > 20$ GeV ($\eta^\gamma y^{\text{jet}} \geq 0$). The NLO pQCD cross section has been computed with JETPHOX 1.3 using CT10 PDFs. Details on the calculation of the uncertainties are discussed in Section VIII. In the last column the non-perturbative correction factor that must multiply the JETPHOX cross section is shown, with its uncertainty.

E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	scale	PDF	isolation	correction
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	factor
25	30	434	± 5	+49 -35	+18 -23	+3 -10	0.925 \pm 0.054
30	35	258	± 2	+34 -30	+9 -12	+0 -5	0.955 \pm 0.034
35	45	120	± 1	+17 -14	+4 -5	+0 -4	0.988 \pm 0.021
45	55	42.4	± 0.3	+6.5 -3.7	+1.1 -1.5	+0.9 -0.0	0.993 \pm 0.023
55	70	16.7	± 0.1	+1.8 -2.0	+0.4 -0.5	+0.5 -0.0	0.997 \pm 0.025
70	85	6.02	± 0.05	+0.68 -0.55	+0.12 -0.17	+0.05 -0.00	0.994 \pm 0.015
85	100	2.66	± 0.02	+0.30 -0.24	+0.05 -0.07	+0.02 -0.01	0.989 \pm 0.020
100	125	1.09	± 0.01	+0.11 -0.10	+0.02 -0.03	+0.01 -0.01	0.997 \pm 0.020
125	150	0.401	± 0.003	+0.051 -0.035	+0.007 -0.009	+0.002 -0.004	0.998 \pm 0.020
150	200	0.125	± 0.001	+0.010 -0.011	+0.003 -0.003	+0.000 -0.002	0.994 \pm 0.023
200	400	0.0118	± 0.0001	+0.0011 -0.0012	+0.0003 -0.0003	+0.0000 -0.0001	0.993 \pm 0.017

TABLE XIV. NLO pQCD cross section prediction for the production of an isolated photon in the pseudorapidity range $0.00 \leq |\eta^\gamma| < 1.37$ in association with a jet in the rapidity range $1.2 \leq |y^{\text{jet}}| < 2.8$ and $p_T^{\text{jet}} > 20$ GeV ($\eta^\gamma y^{\text{jet}} < 0$). The NLO pQCD cross section has been computed with JETPHOX 1.3 using CT10 PDFs. Details on the calculation of the uncertainties are discussed in Section VIII. In the last column the non-perturbative correction factor that must multiply the JETPHOX cross section is shown, with its uncertainty.

E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	scale	PDF	isolation	correction
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	factor
25	30	260	± 3	+33 -44	+13 -12	+0 -17	0.935 \pm 0.075
30	35	141	± 1	+24 -23	+7 -6	+0 -4	0.909 \pm 0.055
35	45	60	± 1	+12 -9	+3 -2	+1 -0	0.975 \pm 0.034
45	55	22.3	± 0.2	+3.8 -4.0	+0.8 -0.8	+0.0 -1.0	0.962 \pm 0.051
55	70	8.1	± 0.1	+1.5 -1.1	+0.3 -0.3	+0.0 -0.3	0.961 \pm 0.047
70	85	2.81	± 0.02	+0.40 -0.45	+0.09 -0.09	+0.06 -0.07	0.985 \pm 0.024
85	100	1.14	± 0.01	+0.24 -0.18	+0.04 -0.04	+0.00 -0.02	0.998 \pm 0.035
100	125	0.456	± 0.004	+0.078 -0.069	+0.016 -0.016	+0.002 -0.012	0.974 \pm 0.036
125	150	0.157	± 0.002	+0.040 -0.019	+0.006 -0.006	+0.002 -0.000	0.979 \pm 0.040
150	200	0.0481	± 0.0005	+0.0086 -0.0076	+0.0022 -0.0022	+0.0010 -0.0000	0.979 \pm 0.031
200	400	0.00422	± 0.00005	+0.00099 -0.00054	+0.00024 -0.00024	+0.00002 -0.00005	0.966 \pm 0.028

TABLE XV. NLO pQCD cross section prediction for the production of an isolated photon in the pseudorapidity range $0.00 \leq |\eta^\gamma| < 1.37$ in association with a jet in the rapidity range $2.8 \leq |y^{\text{jet}}| < 4.4$ and $p_T^{\text{jet}} > 20$ GeV ($\eta^\gamma y^{\text{jet}} \geq 0$). The NLO pQCD cross section has been computed with JETPHOX 1.3 using CT10 PDFs. Details on the calculation of the uncertainties are discussed in Section VIII. In the last column the non-perturbative correction factor that must multiply the JETPHOX cross section is shown, with its uncertainty.

E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	scale	PDF	isolation	correction
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	factor
25	30	91	± 2	$+18$ -5	$+2$ -3	$+10$ -0	0.904 ± 0.062
30	35	47	± 1	$+12$ -4	$+1$ -2	$+5$ -0	0.919 ± 0.071
35	45	19.8	± 0.3	$+4.1$ -1.3	$+0.4$ -0.7	$+1.4$ -0.0	0.959 ± 0.035
45	55	6.14	± 0.11	$+2.31$ -0.82	$+0.18$ -0.23	$+0.59$ -0.00	0.950 ± 0.068
55	70	1.97	± 0.04	$+0.38$ -0.22	$+0.07$ -0.09	$+0.09$ -0.04	0.960 ± 0.066
70	85	0.556	± 0.013	$+0.147$ -0.051	$+0.026$ -0.024	$+0.009$ -0.002	0.975 ± 0.067
85	100	0.204	± 0.005	$+0.049$ -0.022	$+0.012$ -0.009	$+0.010$ -0.003	0.973 ± 0.079
100	125	0.064	± 0.002	$+0.008$ -0.011	$+0.004$ -0.003	$+0.003$ -0.000	0.973 ± 0.056
125	150	0.0146	± 0.0005	$+0.0019$ -0.0017	$+0.0014$ -0.0008	$+0.0012$ -0.0004	0.979 ± 0.068
150	200	0.0027	± 0.0001	$+0.0007$ -0.0005	$+0.0004$ -0.0002	$+0.0004$ -0.0000	1.004 ± 0.056

TABLE XVI. NLO pQCD cross section prediction for the production of an isolated photon in the pseudorapidity range $0.00 \leq |\eta^\gamma| < 1.37$ in association with a jet in the rapidity range $2.8 \leq |y^{\text{jet}}| < 4.4$ and $p_T^{\text{jet}} > 20$ GeV ($\eta^\gamma y^{\text{jet}} < 0$). The NLO pQCD cross section has been computed with JETPHOX 1.3 using CT10 PDFs. Details on the calculation of the uncertainties are discussed in Section VIII. In the last column the non-perturbative correction factor that must multiply the JETPHOX cross section is shown, with its uncertainty.

E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	scale	PDF	isolation	correction
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	factor
25	30	53	± 1	$+17$ -8	$+1$ -1	$+0$ -1	0.84 ± 0.26
30	35	27	± 0	$+7$ -5	$+1$ -1	$+1$ -0	0.81 ± 0.21
35	45	10.4	± 0.2	$+3.5$ -1.2	$+0.3$ -0.3	$+0.5$ -0.0	0.92 ± 0.09
45	55	3.37	± 0.05	$+0.88$ -0.69	$+0.12$ -0.12	$+0.23$ -0.00	0.88 ± 0.08
55	70	1.00	± 0.02	$+0.30$ -0.21	$+0.04$ -0.04	$+0.10$ -0.00	0.93 ± 0.15
70	85	0.287	± 0.005	$+0.094$ -0.058	$+0.017$ -0.014	$+0.005$ -0.002	0.95 ± 0.06
85	100	0.091	± 0.002	$+0.035$ -0.010	$+0.007$ -0.005	$+0.004$ -0.000	0.97 ± 0.10
100	125	0.028	± 0.001	$+0.010$ -0.006	$+0.003$ -0.002	$+0.000$ -0.001	0.94 ± 0.12
125	150	0.0067	± 0.0002	$+0.0030$ -0.0016	$+0.0008$ -0.0005	$+0.0000$ -0.0000	1.00 ± 0.11
150	200	0.0014	± 0.0001	$+0.0004$ -0.0004	$+0.0002$ -0.0001	$+0.0000$ -0.0001	0.92 ± 0.21

Appendix C: Measured photon + jet cross section

TABLE XVII. Measured cross section as a function of the photon transverse energy, E_T^γ , for $|\eta^\gamma| \leq 1.37$, $|y^{\text{jet}}| < 1.2$ and $\eta^\gamma y^{\text{jet}} \geq 0$. The last two columns show the cross section predicted by JETPHOX and multiplied by the corresponding non-perturbative correction factor, and its uncertainty.

		Measured cross section				Predicted cross section	
E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	syst	total exp. uncertainty	$\frac{d\sigma}{dE_T^\gamma}$	total theory uncertainty
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]
25	30	394	± 8	$+74$ -30	$+74$ -31	510	$+47$ -51
30	35	258	± 6	$+49$ -23	$+50$ -23	315	$+51$ -27
35	45	137	± 3	$+27$ -13	$+27$ -13	153	$+16$ -15
45	55	60.9	± 0.7	$+7.0$ -5.2	$+7.1$ -5.2	59.9	$+7.1$ -4.3
55	70	24.8	± 0.3	$+3.0$ -2.3	$+3.0$ -2.4	24.3	$+2.4$ -1.9
70	85	9.51	± 0.20	$+1.22$ -0.98	$+1.24$ -1.00	9.21	$+0.98$ -0.92
85	100	4.40	± 0.15	$+0.55$ -0.48	$+0.57$ -0.50	4.21	$+0.40$ -0.38
100	125	1.77	± 0.07	$+0.23$ -0.20	$+0.24$ -0.22	1.76	$+0.17$ -0.14
125	150	0.698	± 0.038	$+0.096$ -0.085	$+0.103$ -0.093	0.693	$+0.063$ -0.060
150	200	0.226	± 0.017	$+0.032$ -0.029	$+0.036$ -0.034	0.236	$+0.024$ -0.020
200	400	0.0283	± 0.0028	$+0.0041$ -0.0038	$+0.0050$ -0.0048	0.0263	$+0.0027$ -0.0025

TABLE XVIII. Measured cross section as a function of the photon transverse energy, E_T^γ , for $|\eta^\gamma| \leq 1.37$, $|y^j| < 1.2$ and $\eta^\gamma y^{\text{jet}} < 0$. The last two columns show the cross section predicted by JETPHOX and multiplied by the corresponding non-perturbative correction factor, and its uncertainty.

		Measured cross section				Predicted cross section	
E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	syst	total exp. uncertainty	$\frac{d\sigma}{dE_T^\gamma}$	total theory uncertainty
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]
25	30	324	± 7	$+64$ -29	$+65$ -30	389	$+51$ -46
30	35	201	± 5	$+41$ -20	$+41$ -20	249	$+28$ -43
35	45	112	± 3	$+23$ -12	$+23$ -12	117	$+18$ -17
45	55	45.5	± 0.5	$+5.6$ -3.9	$+5.6$ -3.9	46.7	$+5.0$ -6.9
55	70	18.3	± 0.3	$+2.4$ -1.7	$+2.4$ -1.8	17.2	$+2.9$ -1.8
70	85	7.18	± 0.18	$+0.97$ -0.74	$+0.99$ -0.76	6.68	$+0.68$ -0.78
85	100	3.26	± 0.14	$+0.38$ -0.36	$+0.40$ -0.38	2.90	$+0.35$ -0.27
100	125	1.36	± 0.05	$+0.17$ -0.16	$+0.17$ -0.17	1.23	$+0.15$ -0.13
125	150	0.503	± 0.037	$+0.065$ -0.062	$+0.075$ -0.072	0.468	$+0.055$ -0.043
150	200	0.156	± 0.014	$+0.023$ -0.020	$+0.027$ -0.025	0.157	$+0.021$ -0.016
200	400	0.0182	± 0.0022	$+0.0028$ -0.0025	$+0.0035$ -0.0033	0.0168	$+0.0019$ -0.0016

TABLE XIX. Measured cross section as a function of the photon transverse energy, E_T^γ , for $|\eta^\gamma| \leq 1.37$, $1.2 \leq |y^{\text{jet}}| < 2.8$ and $\eta^\gamma y^{\text{jet}} \geq 0$. The last two columns show the cross section predicted by JETPHOX and multiplied by the corresponding non-perturbative correction factor, and its uncertainty.

		Measured cross section				Predicted cross section	
E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	syst	total exp. uncertainty	$\frac{d\sigma}{dE_T^\gamma}$	total theory uncertainty
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]
25	30	316	± 7	$^{+54}_{-30}$	$^{+55}_{-31}$	392	$^{+48}_{-39}$
30	35	210	± 6	$^{+37}_{-22}$	$^{+37}_{-23}$	237	$^{+32}_{-30}$
35	45	105	± 2	$^{+19}_{-12}$	$^{+19}_{-12}$	116	$^{+17}_{-15}$
45	55	43.6	± 0.6	$^{+5.0}_{-3.7}$	$^{+5.1}_{-3.8}$	40.3	$^{+6.3}_{-3.9}$
55	70	17.5	± 0.3	$^{+2.1}_{-1.7}$	$^{+2.2}_{-1.7}$	16.0	$^{+1.8}_{-2.0}$
70	85	6.39	± 0.17	$^{+0.82}_{-0.66}$	$^{+0.84}_{-0.68}$	5.87	$^{+0.68}_{-0.56}$
85	100	2.71	± 0.10	$^{+0.35}_{-0.29}$	$^{+0.36}_{-0.31}$	2.59	$^{+0.29}_{-0.24}$
100	125	1.27	± 0.05	$^{+0.17}_{-0.15}$	$^{+0.18}_{-0.16}$	1.06	$^{+0.11}_{-0.10}$
125	150	0.441	± 0.028	$^{+0.062}_{-0.054}$	$^{+0.068}_{-0.061}$	0.393	$^{+0.050}_{-0.036}$
150	200	0.102	± 0.012	$^{+0.015}_{-0.013}$	$^{+0.019}_{-0.018}$	0.126	$^{+0.010}_{-0.012}$
200	400	0.0090	± 0.0017	$^{+0.0013}_{-0.0012}$	$^{+0.0022}_{-0.0021}$	0.0000	$^{+0.0001}_{-0.0001}$

TABLE XX. Measured cross section as a function of the photon transverse energy, E_T^γ , for $|\eta^\gamma| \leq 1.37$, $1.2 \leq |y^{\text{jet}}| < 2.8$ and $\eta^\gamma y^{\text{jet}} < 0$. The last two columns show the cross section predicted by JETPHOX and multiplied by the corresponding non-perturbative correction factor, and its uncertainty.

		Measured cross section				Predicted cross section	
E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	syst	total exp. uncertainty	$\frac{d\sigma}{dE_T^\gamma}$	total theory uncertainty
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]
25	30	188	± 6	$^{+35}_{-27}$	$^{+36}_{-27}$	240	$^{+33}_{-45}$
30	35	115	± 4	$^{+22}_{-17}$	$^{+23}_{-18}$	133	$^{+23}_{-23}$
35	45	58	± 2	$^{+11}_{-9}$	$^{+12}_{-9}$	59	$^{+12}_{-9}$
45	55	24.1	± 0.5	$^{+3.1}_{-2.1}$	$^{+3.1}_{-2.2}$	21.9	$^{+3.8}_{-4.1}$
55	70	8.8	± 0.2	$^{+1.2}_{-0.9}$	$^{+1.2}_{-0.9}$	7.9	$^{+1.5}_{-1.2}$
70	85	3.32	± 0.11	$^{+0.46}_{-0.35}$	$^{+0.48}_{-0.37}$	2.79	$^{+0.41}_{-0.46}$
85	100	1.49	± 0.09	$^{+0.16}_{-0.16}$	$^{+0.19}_{-0.18}$	1.12	$^{+0.24}_{-0.18}$
100	125	0.54	± 0.04	$^{+0.06}_{-0.06}$	$^{+0.07}_{-0.07}$	0.45	$^{+0.08}_{-0.07}$
125	150	0.175	± 0.022	$^{+0.022}_{-0.022}$	$^{+0.031}_{-0.031}$	0.156	$^{+0.040}_{-0.020}$
150	200	0.055	± 0.008	$^{+0.007}_{-0.008}$	$^{+0.011}_{-0.011}$	0.047	$^{+0.009}_{-0.008}$
200	400	0.0041	± 0.0010	$^{+0.0006}_{-0.0006}$	$^{+0.0011}_{-0.0012}$	0.0042	$^{+0.0010}_{-0.0006}$

TABLE XXI. Measured cross section as a function of the photon transverse energy, E_T^γ , for $|\eta^\gamma| \leq 1.37$, $2.8 \leq |y^{\text{jet}}| < 4.4$ and $\eta^\gamma y^{\text{jet}} \geq 0$. The last two columns show the cross section predicted by JETPHOX and multiplied by the corresponding non-perturbative correction factor, and its uncertainty.

		Measured cross section				Predicted cross section	
E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	syst	total exp. uncertainty	$\frac{d\sigma}{dE_T^\gamma}$	total theory uncertainty
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]
25	30	66	± 4	$^{+18}_{-9}$	$^{+19}_{-10}$	85	$^{+20}_{-6}$
30	35	46	± 3	$^{+13}_{-7}$	$^{+13}_{-8}$	43	$^{+12}_{-4}$
35	45	20	± 1	$^{+6}_{-3}$	$^{+6}_{-3}$	19	$^{+4}_{-1}$
45	55	8.1	± 0.3	$^{+1.4}_{-0.8}$	$^{+1.4}_{-0.8}$	5.9	$^{+2.3}_{-0.8}$
55	70	2.4	± 0.1	$^{+0.4}_{-0.2}$	$^{+0.4}_{-0.3}$	1.9	$^{+0.4}_{-0.2}$
70	85	0.86	± 0.06	$^{+0.15}_{-0.10}$	$^{+0.17}_{-0.11}$	0.55	$^{+0.15}_{-0.06}$
85	100	0.24	± 0.03	$^{+0.03}_{-0.03}$	$^{+0.04}_{-0.04}$	0.20	$^{+0.05}_{-0.02}$
100	125	0.07	± 0.01	$^{+0.01}_{-0.01}$	$^{+0.02}_{-0.02}$	0.06	$^{+0.01}_{-0.01}$
125	150	0.014	± 0.007	$^{+0.002}_{-0.002}$	$^{+0.007}_{-0.007}$	0.014	$^{+0.003}_{-0.002}$
150	200	0.0028	± 0.0019	$^{+0.0004}_{-0.0004}$	$^{+0.0019}_{-0.0020}$	0.0027	$^{+0.0008}_{-0.0006}$

TABLE XXII. Measured cross section as a function of the photon transverse energy, E_T^γ , for $|\eta^\gamma| \leq 1.37$, $2.8 \leq |y^{\text{jet}}| < 4.4$ and $\eta^\gamma y^{\text{jet}} < 0$. The last two columns show the cross section predicted by JETPHOX and multiplied by the corresponding non-perturbative correction factor, and its uncertainty.

		Measured cross section				Predicted cross section	
E_T^γ min	E_T^γ max	$\frac{d\sigma}{dE_T^\gamma}$	stat	syst	total exp. uncertainty	$\frac{d\sigma}{dE_T^\gamma}$	total theory uncertainty
[GeV]	[GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]	[pb/GeV]
25	30	31	± 4	$^{+12}_{-4}$	$^{+13}_{-6}$	44	$^{+14}_{-7}$
30	35	21	± 2	$^{+8}_{-3}$	$^{+9}_{-4}$	22	$^{+6}_{-4}$
35	45	12	± 1	$^{+5}_{-2}$	$^{+5}_{-2}$	10	$^{+3}_{-1}$
45	55	3.5	± 0.2	$^{+1.1}_{-0.6}$	$^{+1.1}_{-0.6}$	3.0	$^{+0.8}_{-0.6}$
55	70	1.5	± 0.1	$^{+0.5}_{-0.2}$	$^{+0.5}_{-0.3}$	0.9	$^{+0.3}_{-0.2}$
70	85	0.38	± 0.04	$^{+0.11}_{-0.06}$	$^{+0.12}_{-0.08}$	0.27	$^{+0.09}_{-0.06}$
85	100	0.12	± 0.02	$^{+0.01}_{-0.01}$	$^{+0.03}_{-0.03}$	0.09	$^{+0.03}_{-0.01}$
100	125	0.04	± 0.01	$^{+0.00}_{-0.00}$	$^{+0.01}_{-0.01}$	0.03	$^{+0.01}_{-0.01}$
125	150	0.015	± 0.007	$^{+0.002}_{-0.002}$	$^{+0.007}_{-0.007}$	0.007	$^{+0.003}_{-0.002}$
150	200	0.0023	± 0.0019	$^{+0.0003}_{-0.0003}$	$^{+0.0019}_{-0.0019}$	0.0013	$^{+0.0004}_{-0.0004}$

Appendix D: The ATLAS Collaboration

The ATLAS Collaboration

G. Aad⁴⁸, B. Abbott¹¹², J. Abdallah¹¹, A.A. Abdelalim⁴⁹, A. Abdesselam¹¹⁹, O. Abdinov¹⁰, B. Abi¹¹³, M. Abolins⁸⁹, O.S. AbouZeid¹⁵⁹, H. Abramowicz¹⁵⁴, H. Abreu¹¹⁶, E. Acerbi^{90a,90b}, B.S. Acharya^{165a,165b}, L. Adamczyk³⁷, D.L. Adams²⁴, T.N. Addy⁵⁶, J. Adelman¹⁷⁷, M. Aderholz¹⁰⁰, S. Adomeit⁹⁹, P. Adragna⁷⁶, T. Adye¹³⁰, S. Aefsky²², J.A. Aguilar-Saavedra^{125b,a}, M. Aharrouché⁸², S.P. Ahlen²¹, F. Ahles⁴⁸, A. Ahmad¹⁴⁹, M. Ahsan⁴⁰, G. Aielli^{134a,134b}, T. Akdogan^{18a}, T.P.A. Åkesson⁸⁰, G. Akimoto¹⁵⁶, A.V. Akimov⁹⁵, A. Akiyama⁶⁷, M.S. Alam¹, M.A. Alam⁷⁷, J. Albert¹⁷⁰, S. Albrand⁵⁵, M. Aleksa²⁹, I.N. Aleksandrov⁶⁵, F. Alessandria^{90a}, C. Alexa^{25a}, G. Alexander¹⁵⁴, G. Alexandre⁴⁹, T. Alexopoulos⁹, M. Alhroob²⁰, M. Aliev¹⁵, G. Alimonti^{90a}, J. Alison¹²¹, M. Aliyev¹⁰, B.M.M. Allbrooke¹⁷, P.P. Allport⁷⁴, S.E. Allwood-Spiers⁵³, J. Almond⁸³, A. Aloisio^{103a,103b}, R. Alon¹⁷³, A. Alonso⁸⁰, B. Alvarez Gonzalez⁸⁹, M.G. Alviggi^{103a,103b}, K. Amako⁶⁶, P. Amaral²⁹, C. Amelung²², V.V. Ammosov¹²⁹, A. Amorim^{125a,b}, G. Amorós¹⁶⁸, N. Amram¹⁵⁴, C. Anastopoulos²⁹, L.S. Ancu¹⁶, N. Andari¹¹⁶, T. Andeen³⁴, C.F. Anders²⁰, G. Anders^{58a}, K.J. Anderson³⁰, A. Andreazza^{90a,90b}, V. Andrei^{58a}, M-L. Andrieux⁵⁵, X.S. Anduaga⁷¹, A. Angerami³⁴, F. Anghinolfi²⁹, A. Anisenkov¹⁰⁸, N. Anjos^{125a}, A. Annovi⁴⁷, A. Antonaki⁸, M. Antonelli⁴⁷, A. Antonov⁹⁷, J. Antos^{145b}, F. Anulli^{133a}, S. Aoun⁸⁴, L. Aperio Bella⁴, R. Apolle^{119,c}, G. Arabidze⁸⁹, I. Aracena¹⁴⁴, Y. Arai⁶⁶, A.T.H. Arce⁴⁴, S. Arfaoui¹⁴⁹, J-F. Arguin¹⁴, E. Arik^{18a,*}, M. Arik^{18a}, A.J. Armbruster⁸⁸, O. Arnaez⁸², C. Arnault¹¹⁶, A. Artamonov⁹⁶, G. Artoni^{133a,133b}, D. Arutinov²⁰, S. Asai¹⁵⁶, R. Asfandiyarov¹⁷⁴, S. Ask²⁷, B. Åsman^{147a,147b}, L. Asquith⁵, K. Assamagan²⁴, A. Astbury¹⁷⁰, A. Astvatsatourov⁵², B. Aubert⁴, E. Auge¹¹⁶, K. Augsten¹²⁸, M. Aurousseau^{146a}, G. Avolio¹⁶⁴, R. Avramidou⁹, D. Axen¹⁶⁹, C. Ay⁵⁴, G. Azuelos^{94,d}, Y. Azuma¹⁵⁶, M.A. Baak²⁹, G. Baccaglioni^{90a}, C. Bacci^{135a,135b}, A.M. Bach¹⁴, H. Bachacou¹³⁷, K. Bachas²⁹, M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{133a,133b}, S. Bahinipati², Y. Bai^{32a}, D.C. Bailey¹⁵⁹, T. Bain¹⁵⁹, J.T. Baines¹³⁰, O.K. Baker¹⁷⁷, M.D. Baker²⁴, S. Baker⁷⁸, E. Banas³⁸, P. Banerjee⁹⁴, Sw. Banerjee¹⁷⁴, D. Banfi²⁹, A. Bangert¹⁵¹, V. Bansal¹⁷⁰, H.S. Bansil¹⁷, L. Barak¹⁷³, S.P. Baranov⁹⁵, A. Barashkou⁶⁵, A. Barbaro Galtieri¹⁴, T. Barber⁴⁸, E.L. Barberio⁸⁷, D. Barberis^{50a,50b}, M. Barbero²⁰, D.Y. Bardin⁶⁵, T. Barillari¹⁰⁰, M. Barisonzi¹⁷⁶, T. Barklow¹⁴⁴, N. Barlow²⁷, B.M. Barnett¹³⁰, R.M. Barnett¹⁴, A. Baroncelli^{135a}, G. Barone⁴⁹, A.J. Barr¹¹⁹, F. Barreiro⁸¹, J. Barreiro Guimarães da Costa⁵⁷, P. Barrillon¹¹⁶, R. Bartoldus¹⁴⁴, A.E. Barton⁷², V. Bartsch¹⁵⁰, R.L. Bates⁵³, L. Batkova^{145a}, J.R. Batley²⁷, A. Battaglia¹⁶, M. Battistin²⁹, F. Bauer¹³⁷, H.S. Bawa^{144,e}, S. Beale⁹⁹, T. Beau⁷⁹, P.H. Beauchemin¹⁶², R. Beccherle^{50a}, P. Bechtel²⁰, H.P. Beck¹⁶, S. Becker⁹⁹, M. Beckingham¹³⁹, K.H. Becks¹⁷⁶, A.J. Beddall^{18c}, A. Beddall^{18c}, S. Bedikian¹⁷⁷, V.A. Bednyakov⁶⁵, C.P. Bee⁸⁴, M. Beger²⁴, S. Behar Harpaz¹⁵³, P.K. Behera⁶³, M. Beimforde¹⁰⁰, C. Belanger-Champagne⁸⁶, P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵⁴, L. Bellagamba^{19a}, F. Bellina²⁹, M. Bellomo²⁹, A. Belloni⁵⁷, O. Beloborodova^{108,f}, K. Belotskiy⁹⁷, O. Beltramello²⁹, S. Ben Ami¹⁵³, O. Benary¹⁵⁴, D. Bencheikroun^{136a}, C. Benchouk⁸⁴, M. Bendel⁸², N. Benekos¹⁶⁶, Y. Benhammou¹⁵⁴, E. Benhar Nocchioli⁴⁹, J.A. Benitez Garcia^{160b}, D.P. Benjamin⁴⁴, M. Benoit¹¹⁶, J.R. Bensinger²², K. Benslama¹³¹, S. Bentvelsen¹⁰⁶, D. Berge²⁹, E. Bergeas Kuutmann⁴¹, N. Berger⁴, F. Berghaus¹⁷⁰, E. Berglund¹⁰⁶, J. Beringer¹⁴, P. Bernat⁷⁸, R. Bernhard⁴⁸, C. Bernius²⁴, T. Berry⁷⁷, C. Bertella⁸⁴, A. Bertin^{19a,19b}, F. Bertinelli²⁹, F. Bertolucci^{123a,123b}, M.I. Besana^{90a,90b}, N. Besson¹³⁷, S. Bethke¹⁰⁰, W. Bhimji⁴⁵, R.M. Bianchi²⁹, M. Bianco^{73a,73b}, O. Biebel⁹⁹, S.P. Bieniek⁷⁸, K. Bierwagen⁵⁴, J. Biesiada¹⁴, M. Biglietti^{135a}, H. Bilokon⁴⁷, M. Bindi^{19a,19b}, S. Binet¹¹⁶, A. Bingul^{18c}, C. Bini^{133a,133b}, C. Biscarat¹⁷⁹, U. Bitenc⁴⁸, K.M. Black²¹, R.E. Blair⁵, J.-B. Blanchard¹³⁷, G. Blanchot²⁹, T. Blazek^{145a}, C. Blocker²², J. Blocki³⁸, A. Blondel⁴⁹, W. Blum⁸², U. Blumenschein⁵⁴, G.J. Bobbink¹⁰⁶, V.B. Bobrovnikov¹⁰⁸, S.S. Bocchetta⁸⁰, A. Bocci⁴⁴, C.R. Boddy¹¹⁹, M. Boehler⁴¹, J. Boek¹⁷⁶, N. Boelaert³⁵, J.A. Bogaerts²⁹, A. Bogdanchikov¹⁰⁸, A. Bogouch^{91,*}, C. Bohm^{147a}, V. Boisvert⁷⁷, T. Bold³⁷, V. Boldea^{25a}, N.M. Bolnet¹³⁷, M. Bona⁷⁶, V.G. Bondarenko⁹⁷, M. Bondioli¹⁶⁴, M. Boonekamp¹³⁷, C.N. Booth¹⁴⁰, S. Bordononi⁷⁹, C. Borer¹⁶, A. Borisov¹²⁹, G. Borissov⁷², I. Borjanovic^{12a}, M. Borri⁸³, S. Borroni⁸⁸, V. Bortolotto^{135a,135b}, K. Bos¹⁰⁶, D. Boscherini^{19a}, M. Bosman¹¹, H. Boterenbrood¹⁰⁶, D. Botterill¹³⁰, J. Bouchami⁹⁴, J. Boudreau¹²⁴, E.V. Bouhova-Thacker⁷², D. Boumediene³³, C. Bourdarios¹¹⁶, N. Bousson⁸⁴, A. Boveia³⁰, J. Boyd²⁹, I.R. Boyko⁶⁵, N.I. Bozhko¹²⁹, I. Bozovic-Jelisavcic^{12b}, J. Bracinik¹⁷, A. Braem²⁹, P. Branchini^{135a}, G.W. Brandenburg⁵⁷, A. Brandt⁷, G. Brandt¹¹⁹, O. Brandt⁵⁴, U. Bratzler¹⁵⁷, B. Brau⁸⁵, J.E. Brau¹¹⁵, H.M. Braun¹⁷⁶, B. Brelief¹⁵⁹, J. Bremer²⁹, R. Brenner¹⁶⁷, S. Bressler¹⁷³, D. Britton⁵³, F.M. Brochu²⁷, I. Brock²⁰, R. Brock⁸⁹, T.J. Brodbeck⁷², E. Brodet¹⁵⁴, F. Broggi^{90a}, C. Bromberg⁸⁹, J. Bronner¹⁰⁰, G. Brooijmans³⁴, W.K. Brooks^{31b}, G. Brown⁸³, H. Brown⁷, P.A. Bruckman de Renstrom³⁸, D. Bruncko^{145b}, R. Bruneliere⁴⁸, S. Brunet⁶¹, A. Bruni^{19a}, G. Bruni^{19a}, M. Bruschi^{19a}, T. Buanes¹³, Q. Buat⁵⁵, F. Bucci⁴⁹, J. Buchanan¹¹⁹, N.J. Buchanan², P. Buchholz¹⁴², R.M. Buckingham¹¹⁹, A.G. Buckley⁴⁵, S.I. Buda^{25a}, I.A. Budagov⁶⁵, B. Budick¹⁰⁹, V. Büscher⁸², L. Bugge¹¹⁸, O. Bulekov⁹⁷, M. Bunse⁴², T. Buran¹¹⁸, H. Burckhart²⁹, S. Burdin⁷⁴, T. Burgess¹³, S. Burke¹³⁰, E. Busato³³, P. Bussey⁵³, C.P. Buszello¹⁶⁷, F. Butin²⁹, B. Butler¹⁴⁴, J.M. Butler²¹, C.M. Buttar⁵³, J.M. Butterworth⁷⁸, W. Buttinger²⁷, S. Cabrera Urbán¹⁶⁸, D. Caforio^{19a,19b},

O. Cakir^{3a}, P. Calafiura¹⁴, G. Calderini⁷⁹, P. Calfayan⁹⁹, R. Calkins¹⁰⁷, L.P. Caloba^{23a}, R. Caloi^{133a,133b}, D. Calvet³³, S. Calvet³³, R. Camacho Toro³³, P. Camarri^{134a,134b}, M. Cambiaghi^{120a,120b}, D. Cameron¹¹⁸, L.M. Caminada¹⁴, S. Campana²⁹, M. Campanelli⁷⁸, V. Canale^{103a,103b}, F. Canelli^{30.g}, A. Canepa^{160a}, J. Cantero⁸¹, L. Capasso^{103a,103b}, M.D.M. Capeans Garrido²⁹, I. Caprini^{25a}, M. Caprini^{25a}, D. Capriotti¹⁰⁰, M. Capua^{36a,36b}, R. Caputo⁸², C. Caramarcu²⁴, R. Cardarelli^{134a}, T. Carli²⁹, G. Carlino^{103a}, L. Carminati^{90a,90b}, B. Caron⁸⁶, S. Caron¹⁰⁵, G.D. Carrillo Montoya¹⁷⁴, A.A. Carter⁷⁶, J.R. Carter²⁷, J. Carvalho^{125a,h}, D. Casadei¹⁰⁹, M.P. Casado¹¹, M. Cascella^{123a,123b}, C. Caso^{50a,50b,*}, A.M. Castaneda Hernandez¹⁷⁴, E. Castaneda-Miranda¹⁷⁴, V. Castillo Gimenez¹⁶⁸, N.F. Castro^{125a}, G. Cataldi^{73a}, F. Cataneo²⁹, A. Catinaccio²⁹, J.R. Catmore²⁹, A. Cattai²⁹, G. Cattani^{134a,134b}, S. Caughron⁸⁹, D. Cauz^{165a,165c}, P. Cavalleri⁷⁹, D. Cavalli^{90a}, M. Cavalli-Sforza¹¹, V. Cavasinni^{123a,123b}, F. Ceradini^{135a,135b}, A.S. Cerqueira^{23b}, A. Cerri²⁹, L. Cerrito⁷⁶, F. Cerutti⁴⁷, S.A. Cetin^{18b}, F. Cevenini^{103a,103b}, A. Chafaq^{136a}, D. Chakraborty¹⁰⁷, K. Chan², B. Chapleau⁸⁶, J.D. Chapman²⁷, J.W. Chapman⁸⁸, E. Chareyre⁷⁹, D.G. Charlton¹⁷, V. Chavda⁸³, C.A. Chavez Barajas²⁹, S. Cheatham⁸⁶, S. Chekanov⁵, S.V. Chekulaev^{160a}, G.A. Chelkov⁶⁵, M.A. Chelstowska¹⁰⁵, C. Chen⁶⁴, H. Chen²⁴, S. Chen^{32c}, T. Chen^{32c}, X. Chen¹⁷⁴, S. Cheng^{32a}, A. Cheplakov⁶⁵, V.F. Chepurinov⁶⁵, R. Cherkaoui El Moursli^{136e}, V. Chernyatin²⁴, E. Cheu⁶, S.L. Cheung¹⁵⁹, L. Chevalier¹³⁷, G. Chiefari^{103a,103b}, L. Chikovani^{51a}, J.T. Childers²⁹, A. Chilingarov⁷², G. Chiodini^{73a}, A.S. Chisholm¹⁷, M.V. Chizhov⁶⁵, G. Choudalakis³⁰, S. Chouridou¹³⁸, I.A. Christidi⁷⁸, A. Christov⁴⁸, D. Chromek-Burckhart²⁹, M.L. Chu¹⁵², J. Chudoba¹²⁶, G. Ciapetti^{133a,133b}, K. Ciba³⁷, A.K. Ciftci^{3a}, R. Ciftci^{3a}, D. Cinca³³, V. Cindro⁷⁵, M.D. Ciobotaru¹⁶⁴, C. Ciocca^{19a}, A. Ciocio¹⁴, M. Cirilli⁸⁸, M. Citterio^{90a}, M. Ciubancan^{25a}, A. Clark⁴⁹, P.J. Clark⁴⁵, W. Cleland¹²⁴, J.C. Clemens⁸⁴, B. Clement⁵⁵, C. Clement^{147a,147b}, R.W. Clift¹³⁰, Y. Coadou⁸⁴, M. Cobal^{165a,165c}, A. Coccaro¹⁷⁴, J. Cochran⁶⁴, P. Coe¹¹⁹, J.G. Cogan¹⁴⁴, J. Coggeshall¹⁶⁶, E. Cogneras¹⁷⁹, J. Colas⁴, A.P. Colijn¹⁰⁶, N.J. Collins¹⁷, C. Collins-Tooth⁵³, J. Collot⁵⁵, G. Colon⁸⁵, P. Conde Muiño^{125a}, E. Coniavitis¹¹⁹, M.C. Conidi¹¹, M. Consonni¹⁰⁵, V. Consorti⁴⁸, S. Constantinescu^{25a}, C. Conta^{120a,120b}, F. Conventi^{103a,i}, J. Cook²⁹, M. Cooke¹⁴, B.D. Cooper⁷⁸, A.M. Cooper-Sarkar¹¹⁹, K. Copic¹⁴, T. Cornelissen¹⁷⁶, M. Corradi^{19a}, F. Corriveau^{86.j}, A. Cortes-Gonzalez¹⁶⁶, G. Cortiana¹⁰⁰, G. Costa^{90a}, M.J. Costa¹⁶⁸, D. Costanzo¹⁴⁰, T. Costin³⁰, D. Côté²⁹, R. Coura Torres^{23a}, L. Courneyea¹⁷⁰, G. Cowan⁷⁷, C. Cowden²⁷, B.E. Cox⁸³, K. Cranmer¹⁰⁹, F. Crescioli^{123a,123b}, M. Cristinziani²⁰, G. Crosetti^{36a,36b}, R. Crupi^{73a,73b}, S. Crépé-Renaudin⁵⁵, C.-M. Cucuc^{25a}, C. Cuenca Almenar¹⁷⁷, T. Cuhadar Donszelmann¹⁴⁰, M. Curatolo⁴⁷, C.J. Curtis¹⁷, C. Cuthbert¹⁵¹, P. Cwetanski⁶¹, H. Czirr¹⁴², P. Czodrowski⁴³, Z. Czyczula¹⁷⁷, S. D'Auria⁵³, M. D'Onofrio⁷⁴, A. D'Orazio^{133a,133b}, P.V.M. Da Silva^{23a}, C. Da Via⁸³, W. Dabrowski³⁷, T. Dai⁸⁸, C. Dallapiccola⁸⁵, M. Dam³⁵, M. Dameri^{50a,50b}, D.S. Damiani¹³⁸, H.O. Danielsson²⁹, D. Dannheim¹⁰⁰, V. Dao⁴⁹, G. Darbo^{50a}, G.L. Darlea^{25b}, W. Davey²⁰, T. Davidek¹²⁷, N. Davidson⁸⁷, R. Davidson⁷², E. Davies^{119,c}, M. Davies⁹⁴, A.R. Davison⁷⁸, Y. Davygora^{58a}, E. Dawe¹⁴³, I. Dawson¹⁴⁰, J.W. Dawson^{5,*}, R.K. Daya-Ishmukhametova²², K. De⁷, R. de Asmundis^{103a}, S. De Castro^{19a,19b}, P.E. De Castro Faria Salgado²⁴, S. De Cecco⁷⁹, J. de Graat⁹⁹, N. De Groot¹⁰⁵, P. de Jong¹⁰⁶, C. De La Taille¹¹⁶, H. De la Torre⁸¹, B. De Lotto^{165a,165c}, L. de Mora⁷², L. De Nooij¹⁰⁶, D. De Pedis^{133a}, A. De Salvo^{133a}, U. De Sanctis^{165a,165c}, A. De Santo¹⁵⁰, J.B. De Vivie De Regie¹¹⁶, S. Dean⁷⁸, W.J. Dearnaley⁷², R. Debbe²⁴, C. Debenedetti⁴⁵, D.V. Dedovich⁶⁵, J. Degenhardt¹²¹, M. Dehchar¹¹⁹, C. Del Papa^{165a,165c}, J. Del Peso⁸¹, T. Del Prete^{123a,123b}, T. Delemontex⁵⁵, M. Deliyergiyev⁷⁵, A. Dell'Acqua²⁹, L. Dell'Asta²¹, M. Della Pietra^{103a,i}, D. della Volpe^{103a,103b}, M. Delmastro⁴, N. Delruelle²⁹, P.A. Delsart⁵⁵, C. Deluca¹⁴⁹, S. Demers¹⁷⁷, M. Demichev⁶⁵, B. Demirkoz^{11,k}, J. Deng¹⁶⁴, S.P. Denisov¹²⁹, D. Derendarz³⁸, J.E. Derkaoui^{136d}, F. Derue⁷⁹, P. Dervan⁷⁴, K. Desch²⁰, E. Devetak¹⁴⁹, P.O. Deviveiros¹⁰⁶, A. Dewhurst¹³⁰, B. DeWilde¹⁴⁹, S. Dhaliwal¹⁵⁹, R. Dhullipudi^{24,l}, A. Di Ciaccio^{134a,134b}, L. Di Ciaccio⁴, A. Di Girolamo²⁹, B. Di Girolamo²⁹, S. Di Luise^{135a,135b}, A. Di Mattia¹⁷⁴, B. Di Micco²⁹, R. Di Nardo⁴⁷, A. Di Simone^{134a,134b}, R. Di Sipio^{19a,19b}, M.A. Diaz^{31a}, F. Diblen^{18c}, E.B. Diehl⁸⁸, J. Dietrich⁴¹, T.A. Dietzsch^{58a}, S. Diglio⁸⁷, K. Dindar Yagci³⁹, J. Dingfelder²⁰, C. Dionisi^{133a,133b}, P. Dita^{25a}, S. Dita^{25a}, F. Dittus²⁹, F. Djama⁸⁴, T. Djobava^{51b}, M.A.B. do Vale^{23c}, A. Do Valle Wemans^{125a}, T.K.O. Doan⁴, M. Dobbs⁸⁶, R. Dobinson^{29,*}, D. Dobos²⁹, E. Dobson^{29,m}, J. Dodd³⁴, C. Doglioni⁴⁹, T. Doherty⁵³, Y. Doi^{66,*}, J. Dolejsi¹²⁷, I. Dolenc⁷⁵, Z. Dolezal¹²⁷, B.A. Dolgoshein^{97,*}, T. Dohmae¹⁵⁶, M. Donadelli^{23d}, M. Donega¹²¹, J. Donini³³, J. Dopke²⁹, A. Doria^{103a}, A. Dos Anjos¹⁷⁴, M. Dosil¹¹, A. Dotti^{123a,123b}, M.T. Dova⁷¹, J.D. Dowell¹⁷, A.D. Doxiadis¹⁰⁶, A.T. Doyle⁵³, Z. Drasal¹²⁷, J. Drees¹⁷⁶, N. Dressnandt¹²¹, H. Drevermann²⁹, C. Driouichi³⁵, M. Dris⁹, J. Dubbert¹⁰⁰, S. Dube¹⁴, E. Duchovni¹⁷³, G. Duckeck⁹⁹, A. Dudarev²⁹, F. Dudziak⁶⁴, M. Dührssen²⁹, I.P. Duerdoth⁸³, L. Duffot¹¹⁶, M.-A. Dufour⁸⁶, M. Dunford²⁹, H. Duran Yildiz^{3a}, R. Duxfield¹⁴⁰, M. Dwuznik³⁷, F. Dydak²⁹, M. Düren⁵², W.L. Ebenstein⁴⁴, J. Ebke⁹⁹, S. Eckweiler⁸², K. Edmonds⁸², C.A. Edwards⁷⁷, N.C. Edwards⁵³, W. Ehrenfeld⁴¹, T. Ehrich¹⁰⁰, T. Eifert¹⁴⁴, G. Eigen¹³, K. Einsweiler¹⁴, E. Eisenhandler⁷⁶, T. Ekelof¹⁶⁷, M. El Kacimi^{136c}, M. Ellert¹⁶⁷, S. Elles⁴, F. Ellinghaus⁸², K. Ellis⁷⁶, N. Ellis²⁹, J. Elmsheuser⁹⁹, M. Elsing²⁹, D. Emelianov¹³⁰, R. Engelmann¹⁴⁹, A. Engl⁹⁹, B. Epp⁶², A. Eppig⁸⁸, J. Erdmann⁵⁴, A. Ereditato¹⁶, D. Eriksson^{147a}, J. Ernst¹, M. Ernst²⁴, J. Ernwein¹³⁷, D. Errede¹⁶⁶, S. Errede¹⁶⁶, E. Ertel⁸², M. Escalier¹¹⁶, C. Escobar¹²⁴, X. Espinal Curull¹¹, B. Esposito⁴⁷, F. Etienne⁸⁴, A.I. Etievre¹³⁷, E. Etzion¹⁵⁴, D. Evangelakou⁵⁴, H. Evans⁶¹, L. Fabbri^{19a,19b}, C. Fabre²⁹, R.M. Fakhrutdinov¹²⁹, S. Falciano^{133a}, Y. Fang¹⁷⁴, M. Fanti^{90a,90b},

A. Farbin⁷, A. Farilla^{135a}, J. Farley¹⁴⁹, T. Farooque¹⁵⁹, S.M. Farrington¹¹⁹, P. Farthouat²⁹, P. Fassnacht²⁹,
 D. Fassouliotis⁸, B. Fatholahzadeh¹⁵⁹, A. Favareto^{90a,90b}, L. Fayard¹¹⁶, S. Fazio^{36a,36b}, R. Febraro³³,
 P. Federic^{145a}, O.L. Fedin¹²², W. Fedorko⁸⁹, M. Fehling-Kaschek⁴⁸, L. Feligioni⁸⁴, D. Fellmann⁵, C. Feng^{32d},
 E.J. Feng³⁰, A.B. Fenyuk¹²⁹, J. Ferencei^{145b}, J. Ferland⁹⁴, W. Fernando¹¹⁰, S. Ferrag⁵³, J. Ferrando⁵³, V. Ferrara⁴¹,
 A. Ferrari¹⁶⁷, P. Ferrari¹⁰⁶, R. Ferrari^{120a}, D.E. Ferreira de Lima⁵³, A. Ferrer¹⁶⁸, M.L. Ferrer⁴⁷, D. Ferrere⁴⁹,
 C. Ferretti⁸⁸, A. Ferretto Parodi^{50a,50b}, M. Fiascaris³⁰, F. Fiedler⁸², A. Filipčić⁷⁵, A. Filippas⁹, F. Filthaut¹⁰⁵,
 M. Fincke-Keeler¹⁷⁰, M.C.N. Fiolhais^{125a,h}, L. Fiorini¹⁶⁸, A. Firan³⁹, G. Fischer⁴¹, P. Fischer²⁰, M.J. Fisher¹¹⁰,
 M. Flechl⁴⁸, I. Fleck¹⁴², J. Fleckner⁸², P. Fleischmann¹⁷⁵, S. Fleischmann¹⁷⁶, T. Flick¹⁷⁶, A. Floderus⁸⁰,
 L.R. Flores Castillo¹⁷⁴, M.J. Flowerdew¹⁰⁰, M. Fokitis⁹, T. Fonseca Martin¹⁶, D.A. Forbush¹³⁹, A. Formica¹³⁷,
 A. Forti⁸³, D. Fortin^{160a}, J.M. Foster⁸³, D. Fournier¹¹⁶, A. Foussat²⁹, A.J. Fowler⁴⁴, K. Fowler¹³⁸, H. Fox⁷²,
 P. Francavilla¹¹, S. Franchino^{120a,120b}, D. Francis²⁹, T. Frank¹⁷³, M. Franklin⁵⁷, S. Franz²⁹, M. Fraternali^{120a,120b},
 S. Fratina¹²¹, S.T. French²⁷, F. Friedrich⁴³, R. Froeschl²⁹, D. Froidevaux²⁹, J.A. Frost²⁷, C. Fukunaga¹⁵⁷,
 E. Fullana Torregrosa²⁹, J. Fuster¹⁶⁸, C. Gabaldon²⁹, O. Gabizon¹⁷³, T. Gadfort²⁴, S. Gadomski⁴⁹,
 G. Gagliardi^{50a,50b}, P. Gagnon⁶¹, C. Galea⁹⁹, E.J. Gallas¹¹⁹, V. Gallo¹⁶, B.J. Gallop¹³⁰, P. Gallus¹²⁶, K.K. Gan¹¹⁰,
 Y.S. Gao^{144,e}, V.A. Gapienko¹²⁹, A. Gaponenko¹⁴, F. Garberson¹⁷⁷, M. Garcia-Sciveres¹⁴, C. García¹⁶⁸, J.E. García
 Navarro¹⁶⁸, R.W. Gardner³⁰, N. Garelli²⁹, H. Garitaonandia¹⁰⁶, V. Garonne²⁹, J. Garvey¹⁷, C. Gatti⁴⁷,
 G. Gaudio^{120a}, B. Gaur¹⁴², L. Gauthier¹³⁷, I.L. Gavrilenko⁹⁵, C. Gay¹⁶⁹, G. Gaycken²⁰, J-C. Gayde²⁹, E.N. Gazis⁹,
 P. Ge^{32d}, C.N.P. Gee¹³⁰, D.A.A. Geerts¹⁰⁶, Ch. Geich-Gimbel²⁰, K. Gellerstedt^{147a,147b}, C. Gemme^{50a},
 A. Gemmell⁵³, M.H. Genest⁵⁵, S. Gentile^{133a,133b}, M. George⁵⁴, S. George⁷⁷, P. Gerlach¹⁷⁶, A. Gershon¹⁵⁴,
 C. Geweniger^{58a}, H. Ghazlane^{136b}, N. Ghodbane³³, B. Giacobbe^{19a}, S. Giagu^{133a,133b}, V. Giakoumopoulou⁸,
 V. Giangiobbe¹¹, F. Gianotti²⁹, B. Gibbard²⁴, A. Gibson¹⁵⁹, S.M. Gibson²⁹, L.M. Gilbert¹¹⁹, V. Gilevsky⁹²,
 D. Gillberg²⁸, A.R. Gillman¹³⁰, D.M. Gingrich^{2,d}, J. Ginzburg¹⁵⁴, N. Giokaris⁸, M.P. Giordani^{165c},
 R. Giordano^{103a,103b}, F.M. Giorgi¹⁵, P. Giovannini¹⁰⁰, P.F. Giraud¹³⁷, D. Giugni^{90a}, M. Giunta⁹⁴, P. Giusti^{19a},
 B.K. Gjelsten¹¹⁸, L.K. Gladilin⁹⁸, C. Glasman⁸¹, J. Glatzer⁴⁸, A. Glazov⁴¹, K.W. Glitza¹⁷⁶, G.L. Glonti⁶⁵,
 J.R. Goddard⁷⁶, J. Godfrey¹⁴³, J. Godlewski²⁹, M. Goebel⁴¹, T. Göpfert⁴³, C. Goeringer⁸², C. Gössling⁴²,
 T. Göttfert¹⁰⁰, S. Goldfarb⁸⁸, T. Golling¹⁷⁷, A. Gomes^{125a,b}, L.S. Gomez Fajardo⁴¹, R. Gonçalves⁷⁷,
 J. Goncalves Pinto Firmino Da Costa⁴¹, L. Gonella²⁰, A. Gonidec²⁹, S. Gonzalez¹⁷⁴, S. González de la Hoz¹⁶⁸,
 G. Gonzalez Parra¹¹, M.L. Gonzalez Silva²⁶, S. Gonzalez-Sevilla⁴⁹, J.J. Goodson¹⁴⁹, L. Goossens²⁹,
 P.A. Gorbounov⁹⁶, H.A. Gordon²⁴, I. Gorelov¹⁰⁴, G. Gorfine¹⁷⁶, B. Gorini²⁹, E. Gorini^{73a,73b}, A. Gorišek⁷⁵,
 E. Gornicki³⁸, S.A. Gorokhov¹²⁹, V.N. Goryachev¹²⁹, B. Gosdzik⁴¹, M. Gosselink¹⁰⁶, M.I. Gostkin⁶⁵,
 I. Gough Eschrich¹⁶⁴, M. Goughri^{136a}, D. Goujdami^{136c}, M.P. Goulette⁴⁹, A.G. Goussiou¹³⁹, C. Goy⁴,
 S. Gozpinar²², I. Grabowska-Bold³⁷, P. Grafström²⁹, K-J. Grahn⁴¹, F. Grancagnolo^{73a}, S. Grancagnolo¹⁵,
 V. Grassi¹⁴⁹, V. Gratchev¹²², N. Grau³⁴, H.M. Gray²⁹, J.A. Gray¹⁴⁹, E. Graziani^{135a}, O.G. Grebenyuk¹²²,
 T. Greenshaw⁷⁴, Z.D. Greenwood^{24,l}, K. Gregersen³⁵, I.M. Gregor⁴¹, P. Grenier¹⁴⁴, J. Griffiths¹³⁹,
 N. Grigalashvili⁶⁵, A.A. Grillo¹³⁸, S. Grinstein¹¹, Y.V. Grishkevich⁹⁸, J-F. Grivaz¹¹⁶, M. Groh¹⁰⁰, E. Gross¹⁷³,
 J. Grosse-Knetter⁵⁴, J. Groth-Jensen¹⁷³, K. Grybel¹⁴², V.J. Guarino⁵, D. Guest¹⁷⁷, C. Guichenev³³,
 A. Guida^{73a,73b}, S. Guindon⁵⁴, H. Guler^{86,n}, J. Gunther¹²⁶, B. Guo¹⁵⁹, J. Guo³⁴, A. Gupta³⁰, Y. Gusakov⁶⁵,
 V.N. Gushchin¹²⁹, P. Gutierrez¹¹², N. Guttman¹⁵⁴, O. Gutzwiller¹⁷⁴, C. Guyot¹³⁷, C. Gwenlan¹¹⁹, C.B. Gwilliam⁷⁴,
 A. Haas¹⁴⁴, S. Haas²⁹, C. Haber¹⁴, H.K. Hadavand³⁹, D.R. Hadley¹⁷, P. Haefner¹⁰⁰, F. Hahn²⁹, S. Haider²⁹,
 Z. Hajduk³⁸, H. Hakobyan¹⁷⁸, D. Hall¹¹⁹, J. Haller⁵⁴, K. Hamacher¹⁷⁶, P. Hamal¹¹⁴, M. Hamer⁵⁴,
 A. Hamilton^{146b,o}, S. Hamilton¹⁶², H. Han^{32a}, L. Han^{32b}, K. Hanagaki¹¹⁷, K. Hanawa¹⁶¹, M. Hance¹⁴, C. Handel⁸²,
 P. Hanke^{58a}, J.R. Hansen³⁵, J.B. Hansen³⁵, J.D. Hansen³⁵, P.H. Hansen³⁵, P. Hansson¹⁴⁴, K. Hara¹⁶¹, G.A. Hare¹³⁸,
 T. Harenberg¹⁷⁶, S. Harkusha⁹¹, D. Harper⁸⁸, R.D. Harrington⁴⁵, O.M. Harris¹³⁹, K. Harrison¹⁷, J. Hartert⁴⁸,
 F. Hartjes¹⁰⁶, T. Haruyama⁶⁶, A. Harvey⁵⁶, S. Hasegawa¹⁰², Y. Hasegawa¹⁴¹, S. Hassani¹³⁷, M. Hatch²⁹,
 D. Hauff¹⁰⁰, S. Haug¹⁶, M. Hauschild²⁹, R. Hauser⁸⁹, M. Havranek²⁰, B.M. Hawes¹¹⁹, C.M. Hawkes¹⁷,
 R.J. Hawkings²⁹, A.D. Hawkins⁸⁰, D. Hawkins¹⁶⁴, T. Hayakawa⁶⁷, T. Hayashi¹⁶¹, D. Hayden⁷⁷, H.S. Hayward⁷⁴,
 S.J. Haywood¹³⁰, E. Hazen²¹, M. He^{32d}, S.J. Head¹⁷, V. Hedberg⁸⁰, L. Heelan⁷, S. Heim⁸⁹, B. Heinemann¹⁴,
 S. Heisterkamp³⁵, L. Helary⁴, C. Heller⁹⁹, M. Heller²⁹, S. Hellman^{147a,147b}, D. Hellmich²⁰, C. Helsens¹¹,
 R.C.W. Henderson⁷², M. Henke^{58a}, A. Henrichs⁵⁴, A.M. Henriques Correia²⁹, S. Henrot-Versille¹¹⁶,
 F. Henry-Couannier⁸⁴, C. Hensel⁵⁴, T. Henß¹⁷⁶, C.M. Hernandez⁷, Y. Hernández Jiménez¹⁶⁸, R. Herrberg¹⁵,
 A.D. Hershenhorn¹⁵³, G. Herten⁴⁸, R. Hertenberger⁹⁹, L. Hervas²⁹, G.G. Hesketh⁷⁸, N.P. Hessey¹⁰⁶,
 E. Higón-Rodríguez¹⁶⁸, D. Hill^{5,*}, J.C. Hill²⁷, N. Hill⁵, K.H. Hiller⁴¹, S. Hillert²⁰, S.J. Hillier¹⁷, I. Hinchliffe¹⁴,
 E. Hines¹²¹, M. Hirose¹¹⁷, F. Hirsch⁴², D. Hirschbuehl¹⁷⁶, J. Hobbs¹⁴⁹, N. Hod¹⁵⁴, M.C. Hodgkinson¹⁴⁰,
 P. Hodgson¹⁴⁰, A. Hoecker²⁹, M.R. Hoefkamp¹⁰⁴, J. Hoffman³⁹, D. Hoffmann⁸⁴, M. Hohlfeld⁸², M. Holder¹⁴²,
 S.O. Holmgren^{147a}, T. Holy¹²⁸, J.L. Holzbauer⁸⁹, Y. Homma⁶⁷, T.M. Hong¹²¹, L. Hooft van Huysduynen¹⁰⁹,
 T. Horazdovsky¹²⁸, C. Horn¹⁴⁴, S. Horner⁴⁸, J-Y. Hostachy⁵⁵, S. Hou¹⁵², M.A. Houlden⁷⁴, A. Hoummada^{136a},
 J. Howarth⁸³, D.F. Howell¹¹⁹, I. Hristova¹⁵, J. Hrivnac¹¹⁶, I. Hruska¹²⁶, T. Hryn'ova⁴, P.J. Hsu⁸², S.-C. Hsu¹⁴,
 G.S. Huang¹¹², Z. Hubacek¹²⁸, F. Hubaut⁸⁴, F. Huegging²⁰, A. Huettmann⁴¹, T.B. Huffman¹¹⁹, E.W. Hughes³⁴,

G. Hughes⁷², R.E. Hughes-Jones⁸³, M. Huhtinen²⁹, P. Hurst⁵⁷, M. Hurwitz¹⁴, U. Husemann⁴¹, N. Huseynov^{65,p}, J. Huston⁸⁹, J. Huth⁵⁷, G. Iacobucci⁴⁹, G. Iakovidis⁹, M. Ibbotson⁸³, I. Ibragimov¹⁴², R. Ichimiya⁶⁷, L. Iconomidou-Fayard¹¹⁶, J. Idarraga¹¹⁶, P. Iengo^{103a}, O. Igonkina¹⁰⁶, Y. Ikegami⁶⁶, M. Ikeno⁶⁶, Y. Ilchenko³⁹, D. Iliadis¹⁵⁵, N. Ilic¹⁵⁹, M. Imori¹⁵⁶, T. Ince²⁰, J. Inigo-Golfin²⁹, P. Ioannou⁸, M. Iodice^{135a}, V. Ippolito^{133a,133b}, A. Irls Quiles¹⁶⁸, C. Isaksson¹⁶⁷, A. Ishikawa⁶⁷, M. Ishino⁶⁸, R. Ishmukhametov³⁹, C. Issever¹¹⁹, S. Istin^{18a}, A.V. Ivashin¹²⁹, W. Iwanski³⁸, H. Iwasaki⁶⁶, J.M. Izen⁴⁰, V. Izzo^{103a}, B. Jackson¹²¹, J.N. Jackson⁷⁴, P. Jackson¹⁴⁴, M.R. Jaekel²⁹, V. Jain⁶¹, K. Jakobs⁴⁸, S. Jakobsen³⁵, J. Jakubek¹²⁸, D.K. Jana¹¹², E. Jankowski¹⁵⁹, E. Jansen⁷⁸, H. Jansen²⁹, A. Jantsch¹⁰⁰, M. Janus²⁰, G. Jarlskog⁸⁰, L. Jeanty⁵⁷, K. Jelen³⁷, I. Jen-La Plante³⁰, P. Jenni²⁹, A. Jeremie⁴, P. Jez³⁵, S. Jézéquel⁴, M.K. Jha^{19a}, H. Ji¹⁷⁴, W. Ji⁸², J. Jia¹⁴⁹, Y. Jiang^{32b}, M. Jimenez Belenguer⁴¹, G. Jin^{32b}, S. Jin^{32a}, O. Jinnouchi¹⁵⁸, M.D. Joergensen³⁵, D. Joffe³⁹, L.G. Johansen¹³, M. Johansen^{147a,147b}, K.E. Johansson^{147a}, P. Johansson¹⁴⁰, S. Johnert⁴¹, K.A. Johns⁶, K. Jon-And^{147a,147b}, G. Jones¹¹⁹, R.W.L. Jones⁷², T.W. Jones⁷⁸, T.J. Jones⁷⁴, O. Jonsson²⁹, C. Joram²⁹, P.M. Jorge^{125a}, J. Joseph¹⁴, J. Jovicevic¹⁴⁸, T. Jovin^{12b}, X. Ju¹⁷⁴, C.A. Jung⁴², R.M. Jungst²⁹, V. Juranek¹²⁶, P. Jussel⁶², A. Juste Rozas¹¹, V.V. Kabachenko¹²⁹, S. Kabana¹⁶, M. Kaci¹⁶⁸, A. Kaczmarek³⁸, P. Kadlecik³⁵, M. Kado¹¹⁶, H. Kagan¹¹⁰, M. Kagan⁵⁷, S. Kaiser¹⁰⁰, E. Kajomovitz¹⁵³, S. Kalinin¹⁷⁶, L.V. Kalinovskaya⁶⁵, S. Kama³⁹, N. Kanaya¹⁵⁶, M. Kaneda²⁹, S. Kaneti²⁷, T. Kanno¹⁵⁸, V.A. Kantserov⁹⁷, J. Kanzaki⁶⁶, B. Kaplan¹⁷⁷, A. Kapliy³⁰, J. Kaplon²⁹, D. Kar⁴³, M. Karagounis²⁰, M. Karagoz¹¹⁹, M. Karnevskiy⁴¹, K. Karr⁵, V. Kartvelishvili⁷², A.N. Karyukhin¹²⁹, L. Kashif¹⁷⁴, G. Kasieczka^{58b}, R.D. Kass¹¹⁰, A. Kastanas¹³, M. Kataoka⁴, Y. Kataoka¹⁵⁶, E. Katsoufis⁹, J. Katzy⁴¹, V. Kaushik⁶, K. Kawagoe⁶⁷, T. Kawamoto¹⁵⁶, G. Kawamura⁸², M.S. Kayl¹⁰⁶, V.A. Kazanin¹⁰⁸, M.Y. Kazarinov⁶⁵, R. Keeler¹⁷⁰, R. Kehoe³⁹, M. Keil⁵⁴, G.D. Kekelidze⁶⁵, J. Kennedy⁹⁹, C.J. Kenney¹⁴⁴, M. Kenyon⁵³, O. Kepka¹²⁶, N. Kerschen²⁹, B.P. Kerševan⁷⁵, S. Kersten¹⁷⁶, K. Kessoku¹⁵⁶, J. Keung¹⁵⁹, F. Khalil-zada¹⁰, H. Khandanyan¹⁶⁶, A. Khanov¹¹³, D. Kharchenko⁶⁵, A. Khodinov⁹⁷, A.G. Kholodenko¹²⁹, A. Khomich^{58a}, T.J. Khoo²⁷, G. Khorauli²⁰, A. Khoroshilov¹⁷⁶, N. Khovanskiy⁶⁵, V. Khovanskiy⁹⁶, E. Khramong⁶⁵, J. Khubua^{51b}, H. Kim^{147a,147b}, M.S. Kim², S.H. Kim¹⁶¹, N. Kimura¹⁷², O. Kind¹⁵, B.T. King⁷⁴, M. King⁶⁷, R.S.B. King¹¹⁹, J. Kirk¹³⁰, L.E. Kirsch²², A.E. Kiryunin¹⁰⁰, T. Kishimoto⁶⁷, D. Kisielewska³⁷, T. Kittelmann¹²⁴, A.M. Kiver¹²⁹, E. Kladiva^{145b}, J. Klaiber-Lodewigs⁴², M. Klein⁷⁴, U. Klein⁷⁴, K. Kleinknecht⁸², M. Klemetti⁸⁶, A. Klier¹⁷³, P. Klimek^{147a,147b}, A. Klimentov²⁴, R. Kligenberg⁴², J.A. Klinger⁸³, E.B. Klinkby³⁵, T. Klioutchnikova²⁹, P.F. Klok¹⁰⁵, S. Klous¹⁰⁶, E.-E. Kluge^{58a}, T. Kluge⁷⁴, P. Kluit¹⁰⁶, S. Kluth¹⁰⁰, N.S. Knecht¹⁵⁹, E. Kneringer⁶², J. Knobloch²⁹, E.B.F.G. Knoop⁸⁴, A. Knue⁵⁴, B.R. Ko⁴⁴, T. Kobayashi¹⁵⁶, M. Kobel⁴³, M. Kocian¹⁴⁴, P. Kodys¹²⁷, K. Köneke²⁹, A.C. König¹⁰⁵, S. Koenig⁸², L. Köpke⁸², F. Koetsveld¹⁰⁵, P. Koevesarki²⁰, T. Koffas²⁸, E. Koffeman¹⁰⁶, L.A. Kogan¹¹⁹, F. Kohn⁵⁴, Z. Kohout¹²⁸, T. Kohriki⁶⁶, T. Koi¹⁴⁴, T. Kokott²⁰, G.M. Kolachev¹⁰⁸, H. Kolanoski¹⁵, V. Kolesnikov⁶⁵, I. Koletsou^{90a}, J. Koll⁸⁹, M. Kollefrath⁴⁸, S.D. Kolya⁸³, A.A. Komar⁹⁵, Y. Komori¹⁵⁶, T. Kondo⁶⁶, T. Kono^{41,q}, A.I. Kononov⁴⁸, R. Konoplich^{109,r}, N. Konstantinidis⁷⁸, A. Kootz¹⁷⁶, S. Koperny³⁷, K. Korcyl³⁸, K. Kordas¹⁵⁵, V. Koreshev¹²⁹, A. Korn¹¹⁹, A. Korol¹⁰⁸, I. Korolkov¹¹, E.V. Korolkova¹⁴⁰, V.A. Korotkov¹²⁹, O. Kortner¹⁰⁰, S. Kortner¹⁰⁰, V.V. Kostyukhin²⁰, M.J. Kotamäki²⁹, S. Kotov¹⁰⁰, V.M. Kotov⁶⁵, A. Kotwal⁴⁴, C. Kourkoumelis⁸, V. Kouskoura¹⁵⁵, A. Koutsman^{160a}, R. Kowalewski¹⁷⁰, T.Z. Kowalski³⁷, W. Kozanecki¹³⁷, A.S. Kozhin¹²⁹, V. Kral¹²⁸, V.A. Kramarenko⁹⁸, G. Kramberger⁷⁵, M.W. Krasny⁷⁹, A. Krasznahorkay¹⁰⁹, J. Kraus⁸⁹, J.K. Kraus²⁰, A. Kreisel¹⁵⁴, F. Krejci¹²⁸, J. Kretzschmar⁷⁴, N. Krieger⁵⁴, P. Krieger¹⁵⁹, K. Kroeninger⁵⁴, H. Kroha¹⁰⁰, J. Kroll¹²¹, J. Kroseberg²⁰, J. Krstic^{12a}, U. Kruchonak⁶⁵, H. Krüger²⁰, T. Kruker¹⁶, N. Krumnack⁶⁴, Z.V. Krumshteyn⁶⁵, A. Kruth²⁰, T. Kubota⁸⁷, S. Kuday^{3a}, S. Kuehn⁴⁸, A. Kugel^{58c}, T. Kuhl⁴¹, D. Kuhn⁶², V. Kukhtin⁶⁵, Y. Kulchitsky⁹¹, S. Kuleshov^{31b}, C. Kummer⁹⁹, M. Kuna⁷⁹, N. Kundu¹¹⁹, J. Kunkle¹²¹, A. Kupco¹²⁶, H. Kurashige⁶⁷, M. Kurata¹⁶¹, Y.A. Kurochkin⁹¹, V. Kus¹²⁶, E.S. Kuwertz¹⁴⁸, M. Kuze¹⁵⁸, J. Kvita¹⁴³, R. Kwee¹⁵, A. La Rosa⁴⁹, L. La Rotonda^{36a,36b}, L. Labarga⁸¹, J. Labbe⁴, S. Lablak^{136a}, C. Lacasta¹⁶⁸, F. Lacava^{133a,133b}, H. Lacker¹⁵, D. Lacour⁷⁹, V.R. Lacuesta¹⁶⁸, E. Ladygin⁶⁵, R. Lafaye⁴, B. Laforge⁷⁹, T. Lagouri⁸¹, S. Lai⁴⁸, E. Laisne⁵⁵, M. Lamanna²⁹, C.L. Lampen⁶, W. Lampl⁶, E. Lancon¹³⁷, U. Landgraf⁴⁸, M.P.J. Landon⁷⁶, J.L. Lane⁸³, C. Lange⁴¹, A.J. Lankford¹⁶⁴, F. Lanni²⁴, K. Lantzsck¹⁷⁶, S. Laplace⁷⁹, C. Lapoire²⁰, J.F. Laporte¹³⁷, T. Lari^{90a}, A.V. Laronov¹²⁹, A. Lerner¹¹⁹, C. Lasseur²⁹, M. Lassnig²⁹, P. Laurelli⁴⁷, V. Lavorini^{36a,36b}, W. Lavrijsen¹⁴, P. Laycock⁷⁴, A.B. Lazarev⁶⁵, O. Le Dortz⁷⁹, E. Le Guirriec⁸⁴, C. Le Maner¹⁵⁹, E. Le Menedeu⁹, C. Lebel⁹⁴, T. LeCompte⁵, F. Ledroit-Guillon⁵⁵, H. Lee¹⁰⁶, J.S.H. Lee¹¹⁷, S.C. Lee¹⁵², L. Lee¹⁷⁷, M. Lefebvre¹⁷⁰, M. Legendre¹³⁷, A. Leger⁴⁹, B.C. LeGeyt¹²¹, F. Legger⁹⁹, C. Leggett¹⁴, M. Lehmacher²⁰, G. Lehmann Miotto²⁹, X. Lei⁶, M.A.L. Leite^{23d}, R. Leitner¹²⁷, D. Lellouch¹⁷³, M. Leltchouk³⁴, B. Lemmer⁵⁴, V. Lendermann^{58a}, K.J.C. Leney^{146b}, T. Lenz¹⁰⁶, G. Lenzen¹⁷⁶, B. Lenzi²⁹, K. Leonhardt⁴³, S. Leontsinis⁹, C. Leroy⁹⁴, J.-R. Lessard¹⁷⁰, J. Lesser^{147a}, C.G. Lester²⁷, A. Leung Fook Cheong¹⁷⁴, J. Levêque⁴, D. Levin⁸⁸, L.J. Levinson¹⁷³, M.S. Levitski¹²⁹, A. Lewis¹¹⁹, G.H. Lewis¹⁰⁹, A.M. Leyko²⁰, M. Leyton¹⁵, B. Li⁸⁴, H. Li^{174,s}, S. Li^{32b,t}, X. Li⁸⁸, Z. Liang^{119,u}, H. Liao³³, B. Liberti^{134a}, P. Lichard²⁹, M. Lichtnecker⁹⁹, K. Lie¹⁶⁶, W. Liebig¹³, R. Lifshitz¹⁵³, C. Limbach²⁰, A. Limosani⁸⁷, M. Limper⁶³, S.C. Lin^{152,v}, F. Linde¹⁰⁶, J.T. Linnemann⁸⁹, E. Lipeles¹²¹, L. Lipinsky¹²⁶, A. Lipniacka¹³, T.M. Liss¹⁶⁶, D. Lissauer²⁴, A. Lister⁴⁹, A.M. Litke¹³⁸, C. Liu²⁸, D. Liu¹⁵², H. Liu⁸⁸, J.B. Liu⁸⁸, M. Liu^{32b}, Y. Liu^{32b}, M. Livan^{120a,120b}, S.S.A. Livermore¹¹⁹, A. Lleres⁵⁵, J. Llorente Merino⁸¹, S.L. Lloyd⁷⁶,

E. Lobodzinska⁴¹, P. Loch⁶, W.S. Lockman¹³⁸, T. Loddenkoetter²⁰, F.K. Loebinger⁸³, A. Loginov¹⁷⁷, C.W. Loh¹⁶⁹,
 T. Lohse¹⁵, K. Lohwasser⁴⁸, M. Lokajicek¹²⁶, J. Loken¹¹⁹, V.P. Lombardo⁴, R.E. Long⁷², L. Lopes^{125a},
 D. Lopez Mateos⁵⁷, J. Lorenz⁹⁹, N. Lorenzo Martinez¹¹⁶, M. Losada¹⁶³, P. Loscutoff¹⁴, F. Lo Sterzo^{133a,133b},
 M.J. Losty^{160a}, X. Lou⁴⁰, A. Lounis¹¹⁶, K.F. Loureiro¹⁶³, J. Love²¹, P.A. Love⁷², A.J. Lowe^{144,e}, F. Lu^{32a},
 H.J. Lubatti¹³⁹, C. Luci^{133a,133b}, A. Lucotte⁵⁵, A. Ludwig⁴³, D. Ludwig⁴¹, I. Ludwig⁴⁸, J. Ludwig⁴⁸, F. Luehring⁶¹,
 G. Luijckx¹⁰⁶, D. Lumb⁴⁸, L. Luminari^{133a}, E. Lund¹¹⁸, B. Lund-Jensen¹⁴⁸, B. Lundberg⁸⁰, J. Lundberg^{147a,147b},
 J. Lundquist³⁵, M. Lungwitz⁸², G. Lutz¹⁰⁰, D. Lynn²⁴, J. Lys¹⁴, E. Lytken⁸⁰, H. Ma²⁴, L.L. Ma¹⁷⁴,
 J.A. Macana Goia⁹⁴, G. Maccarrone⁴⁷, A. Macchiolo¹⁰⁰, B. Maček⁷⁵, J. Machado Miguens^{125a}, R. Mackeprang³⁵,
 R.J. Madaras¹⁴, W.F. Mader⁴³, R. Maenner^{58c}, T. Maeno²⁴, P. Mättig¹⁷⁶, S. Mättig⁴¹, L. Magnoni²⁹,
 E. Magradze⁵⁴, Y. Mahalalel¹⁵⁴, K. Mahboubi⁴⁸, G. Mahout¹⁷, C. Maiani^{133a,133b}, C. Maidantchik^{23a},
 A. Maio^{125a,b}, S. Majewski²⁴, Y. Makida⁶⁶, N. Makovec¹¹⁶, P. Mal¹³⁷, B. Malaescu²⁹, Pa. Malecki³⁸, P. Malecki³⁸,
 V.P. Maleev¹²², F. Malek⁵⁵, U. Mallik⁶³, D. Malon⁵, C. Malone¹⁴⁴, S. Maltezos⁹, V. Malyshev¹⁰⁸, S. Malyukov²⁹,
 R. Mameghani⁹⁹, J. Mamuzic^{12b}, A. Manabe⁶⁶, L. Mandelli^{90a}, I. Mandić⁷⁵, R. Mandrysch¹⁵, J. Maneira^{125a},
 P.S. Mangard⁸⁹, L. Manhaes de Andrade Filho^{23a}, I.D. Manjavidze⁶⁵, A. Mann⁵⁴, P.M. Manning¹³⁸,
 A. Manousakis-Katsikakis⁸, B. Mansoulie¹³⁷, A. Manz¹⁰⁰, A. Mapelli²⁹, L. Mapelli²⁹, L. March⁸¹, J.F. Marchand²⁸,
 F. Marchese^{134a,134b}, G. Marchiori⁷⁹, M. Marcisovsky¹²⁶, A. Marin^{21,*}, C.P. Marino¹⁷⁰, F. Marroquim^{23a},
 R. Marshall⁸³, Z. Marshall²⁹, F.K. Martens¹⁵⁹, S. Marti-Garcia¹⁶⁸, A.J. Martin¹⁷⁷, B. Martin²⁹, B. Martin⁸⁹,
 F.F. Martin¹²¹, J.P. Martin⁹⁴, Ph. Martin⁵⁵, T.A. Martin¹⁷, V.J. Martin⁴⁵, B. Martin dit Latour⁴⁹,
 S. Martin-Haugh¹⁵⁰, M. Martinez¹¹, V. Martinez Outschoorn⁵⁷, A.C. Martyniuk¹⁷⁰, M. Marx⁸³, F. Marzano^{133a},
 A. Marzin¹¹², L. Masetti⁸², T. Mashimo¹⁵⁶, R. Mashinistov⁹⁵, J. Masik⁸³, A.L. Maslennikov¹⁰⁸, I. Massa^{19a,19b},
 G. Massaro¹⁰⁶, N. Massol⁴, P. Mastrandrea^{133a,133b}, A. Mastroberardino^{36a,36b}, T. Masubuchi¹⁵⁶, M. Mathes²⁰,
 P. Matricon¹¹⁶, H. Matsumoto¹⁵⁶, H. Matsunaga¹⁵⁶, T. Matsushita⁶⁷, C. Mattravers^{119,c}, J.M. Maugain²⁹,
 J. Maurer⁸⁴, S.J. Maxfield⁷⁴, D.A. Maximov^{108,f}, E.N. May⁵, A. Mayne¹⁴⁰, R. Mazini¹⁵², M. Mazur²⁰,
 M. Mazzanti^{90a}, E. Mazzoni^{123a,123b}, S.P. Mc Kee⁸⁸, A. McCarn¹⁶⁶, R.L. McCarthy¹⁴⁹, T.G. McCarthy²⁸,
 N.A. McCubbin¹³⁰, K.W. McFarlane⁵⁶, J.A. McFayden¹⁴⁰, H. McGlone⁵³, G. Mchedlidze^{51b}, R.A. McLaren²⁹,
 T. McLaughlan¹⁷, S.J. McMahan¹³⁰, R.A. McPherson^{170,j}, A. Meade⁸⁵, J. Mechnich¹⁰⁶, M. Mechtel¹⁷⁶,
 M. Medinnis⁴¹, R. Meera-Lebbai¹¹², T. Meguro¹¹⁷, R. Mehdiyev⁹⁴, S. Mehlhase³⁵, A. Mehta⁷⁴, K. Meier^{58a},
 B. Meirose⁸⁰, C. Melachrinou³⁰, B.R. Mellado Garcia¹⁷⁴, L. Mendoza Navas¹⁶³, Z. Meng^{152,s}, A. Mengarelli^{19a,19b},
 S. Menke¹⁰⁰, C. Menot²⁹, E. Meoni¹¹, K.M. Mercurio⁵⁷, P. Mermod⁴⁹, L. Merola^{103a,103b}, C. Meroni^{90a},
 F.S. Merritt³⁰, H. Merritt¹¹⁰, A. Messina²⁹, J. Metcalfe¹⁰⁴, A.S. Mete⁶⁴, C. Meyer⁸², C. Meyer³⁰, J-P. Meyer¹³⁷,
 J. Meyer¹⁷⁵, J. Meyer⁵⁴, T.C. Meyer²⁹, W.T. Meyer⁶⁴, J. Miao^{32d}, S. Michal²⁹, L. Micu^{25a}, R.P. Middleton¹³⁰,
 S. Migas⁷⁴, L. Mijović⁴¹, G. Mikenberg¹⁷³, M. Mikestikova¹²⁶, M. Mikuž⁷⁵, D.W. Miller³⁰, R.J. Miller⁸⁹,
 W.J. Mills¹⁶⁹, C. Mills⁵⁷, A. Milov¹⁷³, D.A. Milstead^{147a,147b}, D. Milstein¹⁷³, A.A. Minaenko¹²⁹, M. Miñano
 Moya¹⁶⁸, I.A. Minashvili⁶⁵, A.I. Mincer¹⁰⁹, B. Mindur³⁷, M. Mineev⁶⁵, Y. Ming¹⁷⁴, L.M. Mir¹¹, G. Mirabelli^{133a},
 L. Miralles Verge¹¹, A. Misiejuk⁷⁷, J. Mitrevski¹³⁸, G.Y. Mitrofanov¹²⁹, V.A. Mitsou¹⁶⁸, S. Mitsui⁶⁶,
 P.S. Miyagawa¹⁴⁰, K. Miyazaki⁶⁷, J.U. Mjörnmark⁸⁰, T. Moa^{147a,147b}, P. Mockett¹³⁹, S. Moed⁵⁷, V. Moeller²⁷,
 K. Mönig⁴¹, N. Möser²⁰, S. Mohapatra¹⁴⁹, W. Mohr⁴⁸, S. Mohrdieck-Möck¹⁰⁰, A.M. Moiseev^{129,*},
 R. Moles-Valls¹⁶⁸, J. Molina-Perez²⁹, J. Monk⁷⁸, E. Monnier⁸⁴, S. Montesano^{90a,90b}, F. Monticelli⁷¹,
 S. Monzani^{19a,19b}, R.W. Moore², G.F. Moorhead⁸⁷, C. Mora Herrera⁴⁹, A. Moraes⁵³, N. Morange¹³⁷, J. Morel⁵⁴,
 G. Morello^{36a,36b}, D. Moreno⁸², M. Moreno Llácer¹⁶⁸, P. Morettini^{50a}, M. Morgenstern⁴³, M. Morii⁵⁷, J. Morin⁷⁶,
 A.K. Morley²⁹, G. Mornacchi²⁹, S.V. Morozov⁹⁷, J.D. Morris⁷⁶, L. Morvaj¹⁰², H.G. Moser¹⁰⁰, M. Mosidze^{51b},
 J. Moss¹¹⁰, R. Mount¹⁴⁴, E. Mountricha^{9,w}, S.V. Mouraviev⁹⁵, E.J.W. Moyses⁸⁵, M. Mudrinic^{12b}, F. Mueller^{58a},
 J. Mueller¹²⁴, K. Mueller²⁰, T.A. Müller⁹⁹, T. Mueller⁸², D. Muenstermann²⁹, A. Muir¹⁶⁹, Y. Munwes¹⁵⁴,
 W.J. Murray¹³⁰, I. Mussche¹⁰⁶, E. Musto^{103a,103b}, A.G. Myagkov¹²⁹, M. Myska¹²⁶, J. Nadal¹¹, K. Nagai¹⁶¹,
 K. Nagano⁶⁶, A. Nagarkar¹¹⁰, Y. Nagasaka⁶⁰, M. Nagel¹⁰⁰, A.M. Nairz²⁹, Y. Nakahama²⁹, K. Nakamura¹⁵⁶,
 T. Nakamura¹⁵⁶, I. Nakano¹¹¹, G. Nanava²⁰, A. Napier¹⁶², R. Narayan^{58b}, M. Nash^{78,c}, N.R. Nation²¹,
 T. Nattermann²⁰, T. Naumann⁴¹, G. Navarro¹⁶³, H.A. Neal⁸⁸, E. Nebot⁸¹, P.Yu. Nechaeva⁹⁵, T.J. Neep⁸³,
 A. Negri^{120a,120b}, G. Negri²⁹, S. Nektarijevic⁴⁹, A. Nelson¹⁶⁴, S. Nelson¹⁴⁴, T.K. Nelson¹⁴⁴, S. Nemecek¹²⁶,
 P. Nemethy¹⁰⁹, A.A. Nepomuceno^{23a}, M. Nessi^{29,x}, M.S. Neubauer¹⁶⁶, A. Neusiedl⁸², R.M. Neves¹⁰⁹, P. Nevski²⁴,
 P.R. Newman¹⁷, V. Nguyen Thi Hong¹³⁷, R.B. Nickerson¹¹⁹, R. Nicolaidou¹³⁷, L. Nicolas¹⁴⁰, B. Niquevert²⁹,
 F. Niedercorn¹¹⁶, J. Nielsen¹³⁸, T. Niinikoski²⁹, N. Nikiforou³⁴, A. Nikiforov¹⁵, V. Nikolaenko¹²⁹, K. Nikolaev⁶⁵,
 I. Nikolic-Audit⁷⁹, K. Nikolics⁴⁹, K. Nikolopoulos²⁴, H. Nilsen⁴⁸, P. Nilsson⁷, Y. Ninomiya¹⁵⁶, A. Nisati^{133a},
 T. Nishiyama⁶⁷, R. Nisius¹⁰⁰, L. Nodulman⁵, M. Nomachi¹¹⁷, I. Nomidis¹⁵⁵, M. Nordberg²⁹, B. Nordkvist^{147a,147b},
 P.R. Norton¹³⁰, J. Novakova¹²⁷, M. Nozaki⁶⁶, L. Nozka¹¹⁴, I.M. Nugent^{160a}, A.-E. Nuncio-Quiroz²⁰,
 G. Nunes Hanninger⁸⁷, T. Nunnemann⁹⁹, E. Nurse⁷⁸, B.J. O'Brien⁴⁵, S.W. O'Neale^{17,*}, D.C. O'Neil¹⁴³,
 V. O'Shea⁵³, L.B. Oakes⁹⁹, F.G. Oakham^{28,d}, H. Oberlack¹⁰⁰, J. Ocariz⁷⁹, A. Ochi⁶⁷, S. Oda¹⁵⁶, S. Odaka⁶⁶,
 J. Odier⁸⁴, H. Ogren⁶¹, A. Oh⁸³, S.H. Oh⁴⁴, C.C. Ohm^{147a,147b}, T. Ohshima¹⁰², H. Ohshita¹⁴¹, T. Ohsugi⁵⁹,
 S. Okada⁶⁷, H. Okawa¹⁶⁴, Y. Okumura¹⁰², T. Okuyama¹⁵⁶, A. Olariu^{25a}, M. Olcese^{50a}, A.G. Olchevski⁶⁵,

S.A. Olivares Pino^{31a}, M. Oliveira^{125a,h}, D. Oliveira Damazio²⁴, E. Oliver Garcia¹⁶⁸, D. Olivito¹²¹, A. Olszewski³⁸, J. Olszowska³⁸, C. Omachi⁶⁷, A. Onofre^{125a,y}, P.U.E. Onyisi³⁰, C.J. Oram^{160a}, M.J. Oreglia³⁰, Y. Oren¹⁵⁴, D. Orestano^{135a,135b}, I. Orlov¹⁰⁸, C. Oropeza Barrera⁵³, R.S. Ori¹⁵⁹, B. Osculati^{50a,50b}, R. Ospanov¹²¹, C. Osuna¹¹, G. Otero y Garzon²⁶, J.P. Ottersbach¹⁰⁶, M. Ouchrif^{136d}, E.A. Ouellette¹⁷⁰, F. Ould-Saada¹¹⁸, A. Ouraou¹³⁷, Q. Ouyang^{32a}, A. Ovcharova¹⁴, M. Owen⁸³, S. Owen¹⁴⁰, V.E. Ozcan^{18a}, N. Ozturk⁷, A. Pacheco Pages¹¹, C. Padilla Aranda¹¹, S. Pagan Griso¹⁴, E. Paganis¹⁴⁰, F. Paige²⁴, P. Pais⁸⁵, K. Pajchel¹¹⁸, G. Palacino^{160b}, C.P. Paleari⁶, S. Palestini²⁹, D. Pallin³³, A. Palma^{125a}, J.D. Palmer¹⁷, Y.B. Pan¹⁷⁴, E. Panagiotopoulou⁹, B. Panes^{31a}, N. Panikashvili⁸⁸, S. Panitkin²⁴, D. Pantea^{25a}, M. Panuskova¹²⁶, V. Paolone¹²⁴, A. Papadelis^{147a}, Th.D. Papadopoulou⁹, A. Paramonov⁵, D. Paredes Hernandez³³, W. Park^{24,z}, M.A. Parker²⁷, F. Parodi^{50a,50b}, J.A. Parsons³⁴, U. Parzefall⁴⁸, E. Pasqualucci^{133a}, S. Passaggio^{50a}, A. Passeri^{135a}, F. Pastore^{135a,135b}, Fr. Pastore⁷⁷, G. Pásztor^{49,aa}, S. Patarraia¹⁷⁶, N. Patel¹⁵¹, J.R. Pater⁸³, S. Patricelli^{103a,103b}, T. Pauly²⁹, M. Pecsny^{145a}, M.I. Pedraza Morales¹⁷⁴, S.V. Peleganchuk¹⁰⁸, H. Peng^{32b}, R. Pengo²⁹, B. Penning³⁰, A. Penson³⁴, J. Penwell⁶¹, M. Perantoni^{23a}, K. Perez^{34,ab}, T. Perez Cavalcanti⁴¹, E. Perez Codina¹¹, M.T. Pérez García-Están¹⁶⁸, V. Perez Reale³⁴, L. Perini^{90a,90b}, H. Pernegger²⁹, R. Perrino^{73a}, P. Perrodo⁴, S. Perseme^{3a}, A. Perus¹¹⁶, V.D. Peshekhonov⁶⁵, K. Peters²⁹, B.A. Petersen²⁹, J. Petersen²⁹, T.C. Petersen³⁵, E. Petit⁴, A. Petridis¹⁵⁵, C. Petridou¹⁵⁵, E. Petrolu^{133a}, F. Petrucci^{135a,135b}, D. Petschull⁴¹, M. Petteni¹⁴³, R. Pezoa^{31b}, A. Phan⁸⁷, P.W. Phillips¹³⁰, G. Piacquadio²⁹, E. Piccaro⁷⁶, M. Piccinini^{19a,19b}, S.M. Piec⁴¹, R. Piegai²⁶, D.T. Pignotti¹¹⁰, J.E. Pilcher³⁰, A.D. Pilkington⁸³, J. Pina^{125a,b}, M. Pinamonti^{165a,165c}, A. Pinder¹¹⁹, J.L. Pinfeld², J. Ping^{32c}, B. Pinto^{125a}, O. Pirotte²⁹, C. Pizio^{90a,90b}, R. Placakyte⁴¹, M. Plamondon¹⁷⁰, M.-A. Pleier²⁴, A.V. Pleskach¹²⁹, A. Poblaguev²⁴, S. Poddar^{58a}, F. Podlyski³³, L. Poggioli¹¹⁶, T. Poghosyan²⁰, M. Pohl⁴⁹, F. Polci⁵⁵, G. Polesello^{120a}, A. Policicchio^{36a,36b}, A. Polini^{19a}, J. Poll⁷⁶, V. Polychronakos²⁴, D.M. Pomarede¹³⁷, D. Pomeroy²², K. Pommès²⁹, L. Pontecorvo^{133a}, B.G. Pope⁸⁹, G.A. Popeneciu^{25a}, D.S. Popovic^{12a}, A. Poppleton²⁹, X. Portell Bueso²⁹, C. Posch²¹, G.E. Pospelov¹⁰⁰, S. Pospisil¹²⁸, I.N. Potrap¹⁰⁰, C.J. Potter¹⁵⁰, C.T. Potter¹¹⁵, G. Poulard²⁹, J. Poveda¹⁷⁴, V. Pozdnyakov⁶⁵, R. Prabhu⁷⁸, P. Pralavorio⁸⁴, A. Pranko¹⁴, S. Prasad⁵⁷, R. Pravahan⁷, S. Prell⁶⁴, K. Pretzl¹⁶, L. Pribyl²⁹, D. Price⁶¹, J. Price⁷⁴, L.E. Price⁵, M.J. Price²⁹, D. Prieur¹²⁴, M. Primavera^{73a}, K. Prokofiev¹⁰⁹, F. Prokoshin^{31b}, S. Protopopescu²⁴, J. Proudfoot⁵, X. Prudent⁴³, M. Przybycien³⁷, H. Przysieznik⁴, S. Psoroulas²⁰, E. Ptacek¹¹⁵, E. Pueschel⁸⁵, J. Purdham⁸⁸, M. Purohit^{24,z}, P. Puzo¹¹⁶, Y. Pylypchenko⁶³, J. Qian⁸⁸, Z. Qian⁸⁴, Z. Qin⁴¹, A. Quadt⁵⁴, D.R. Quarrie¹⁴, W.B. Quayle¹⁷⁴, F. Quinonez^{31a}, M. Raas¹⁰⁵, V. Radescu^{58b}, B. Radics²⁰, P. Radloff¹¹⁵, T. Rador^{18a}, F. Ragusa^{90a,90b}, G. Rahal¹⁷⁹, A.M. Rahimi¹¹⁰, D. Rahm²⁴, S. Rajagopalan²⁴, M. Rammensee⁴⁸, M. Rammes¹⁴², A.S. Randle-Conde³⁹, K. Randrianarivony²⁸, P.N. Ratoff⁷², F. Rauscher⁹⁹, T.C. Rave⁴⁸, M. Raymond²⁹, A.L. Read¹¹⁸, D.M. Rebuffi^{120a,120b}, A. Redelbach¹⁷⁵, G. Redlinger²⁴, R. Reece¹²¹, K. Reeves⁴⁰, A. Reichold¹⁰⁶, E. Reinherz-Aronis¹⁵⁴, A. Reinsch¹¹⁵, I. Reisinger⁴², C. Rembser²⁹, Z.L. Ren¹⁵², A. Renaud¹¹⁶, P. Renkel³⁹, M. Rescigno^{133a}, S. Resconi^{90a}, B. Resende¹³⁷, P. Reznicek⁹⁹, R. Rezvani¹⁵⁹, A. Richards⁷⁸, R. Richter¹⁰⁰, E. Richter-Was^{4,ac}, M. Ridel⁷⁹, M. Rijpstra¹⁰⁶, M. Rijssenbeek¹⁴⁹, A. Rimoldi^{120a,120b}, L. Rinaldi^{19a}, R.R. Rios³⁹, I. Riu¹¹, G. Rivoltella^{90a,90b}, F. Rizatdinova¹¹³, E. Rizvi⁷⁶, S.H. Robertson^{86,j}, A. Robichaud-Veronneau¹¹⁹, D. Robinson²⁷, J.E.M. Robinson⁷⁸, M. Robinson¹¹⁵, A. Robson⁵³, J.G. Rocha de Lima¹⁰⁷, C. Roda^{123a,123b}, D. Roda Dos Santos²⁹, D. Rodriguez¹⁶³, A. Roe⁵⁴, S. Roe²⁹, O. Røhne¹¹⁸, V. Rojo¹, S. Rolli¹⁶², A. Romaniouk⁹⁷, M. Romano^{19a,19b}, V.M. Romanov⁶⁵, G. Romeo²⁶, E. Romero Adam¹⁶⁸, L. Roos⁷⁹, E. Ros¹⁶⁸, S. Rosati^{133a}, K. Rosbach⁴⁹, A. Rose¹⁵⁰, M. Rose⁷⁷, G.A. Rosenbaum¹⁵⁹, E.I. Rosenberg⁶⁴, P.L. Rosendahl¹³, O. Rosenthal¹⁴², L. Rosselet⁴⁹, V. Rossetti¹¹, E. Rossi^{133a,133b}, L.P. Rossi^{50a}, M. Rotaru^{25a}, I. Roth¹⁷³, J. Rothberg¹³⁹, D. Rousseau¹¹⁶, C.R. Royon¹³⁷, A. Rozanov⁸⁴, Y. Rozen¹⁵³, X. Ruan^{32a,ad}, I. Rubinskiy⁴¹, B. Ruckert⁹⁹, N. Ruckstuhl¹⁰⁶, V.I. Rud⁹⁸, C. Rudolph⁴³, G. Rudolph⁶², F. Rühr⁶, F. Ruggieri^{135a,135b}, A. Ruiz-Martinez⁶⁴, V. Rumiantsev^{92,*}, L. Rumyantsev⁶⁵, K. Runge⁴⁸, Z. Rurikova⁴⁸, N.A. Rusakovich⁶⁵, D.R. Rust⁶¹, J.P. Rutherford⁶, C. Ruwiedel¹⁴, P. Ruzicka¹²⁶, Y.F. Ryabov¹²², V. Ryadovikov¹²⁹, P. Ryan⁸⁹, M. Rybar¹²⁷, G. Rybkin¹¹⁶, N.C. Ryder¹¹⁹, S. Rzaeva¹⁰, A.F. Saavedra¹⁵¹, I. Sadeh¹⁵⁴, H.F.-W. Sadrozinski¹³⁸, R. Sadykov⁶⁵, F. Safai Tehrani^{133a}, H. Sakamoto¹⁵⁶, G. Salamanna⁷⁶, A. Salamon^{134a}, M. Saleem¹¹², D. Salihagic¹⁰⁰, A. Salnikov¹⁴⁴, J. Salt¹⁶⁸, B.M. Salvachua Ferrando⁵, D. Salvatore^{36a,36b}, F. Salvatore¹⁵⁰, A. Salvucci¹⁰⁵, A. Salzburger²⁹, D. Sampsonidis¹⁵⁵, B.H. Samset¹¹⁸, A. Sanchez^{103a,103b}, V. Sanchez Martinez¹⁶⁸, H. Sandaker¹³, H.G. Sander⁸², M.P. Sanders⁹⁹, M. Sandhoff¹⁷⁶, T. Sandoval²⁷, C. Sandoval¹⁶³, R. Sandstroem¹⁰⁰, S. Sandvoss¹⁷⁶, D.P.C. Sankey¹³⁰, A. Sansoni⁴⁷, C. Santamarina Rios⁸⁶, C. Santoni³³, R. Santonico^{134a,134b}, H. Santos^{125a}, J.G. Saraiva^{125a}, T. Sarangi¹⁷⁴, E. Sarkisyan-Grinbaum⁷, F. Sarri^{123a,123b}, G. Sartisohn¹⁷⁶, O. Sasaki⁶⁶, N. Sasao⁶⁸, I. Satsounkevitch⁹¹, G. Sauvage⁴, E. Sauvan⁴, J.B. Sauvan¹¹⁶, P. Savard^{159,d}, V. Savinov¹²⁴, D.O. Savu²⁹, L. Sawyer^{24,l}, D.H. Saxon⁵³, L.P. SAYS³³, C. Sbarra^{19a}, A. Sbrizzi^{19a,19b}, O. Scallan⁹⁴, D.A. Scannicchio¹⁶⁴, M. Scarcella¹⁵¹, J. Schaarschmidt¹¹⁶, P. Schacht¹⁰⁰, U. Schäfer⁸², S. Schaepe²⁰, S. Schaezel^{58b}, A.C. Schaffer¹¹⁶, D. Schaile⁹⁹, R.D. Schamberger¹⁴⁹, A.G. Schamov¹⁰⁸, V. Scharf^{58a}, V.A. Schegelsky¹²², D. Scheirich⁸⁸, M. Schernau¹⁶⁴, M.I. Scherzer³⁴, C. Schiavi^{50a,50b}, J. Schieck⁹⁹, M. Schioppa^{36a,36b}, S. Schlenker²⁹, J.L. Schlereth⁵, E. Schmidt⁴⁸, K. Schmieden²⁰, C. Schmitt⁸², S. Schmitt^{58b}, M. Schmitz²⁰, A. Schöning^{58b}, M. Schott²⁹, D. Schouten^{160a}, J. Schovancova¹²⁶,

M. Schram⁸⁶, C. Schroeder⁸², N. Schroer^{58c}, S. Schuh²⁹, G. Schuler²⁹, M.J. Schultens²⁰, J. Schultes¹⁷⁶,
 H.-C. Schultz-Coulon^{58a}, H. Schulz¹⁵, J.W. Schumacher²⁰, M. Schumacher⁴⁸, B.A. Schumm¹³⁸, Ph. Schune¹³⁷,
 C. Schwanenberger⁸³, A. Schwartzman¹⁴⁴, Ph. Schwemling⁷⁹, R. Schwienhorst⁸⁹, R. Schwierz⁴³, J. Schwindling¹³⁷,
 T. Schwindt²⁰, M. Schwoerer⁴, W.G. Scott¹³⁰, J. Searcy¹¹⁵, G. Sedov⁴¹, E. Sedykh¹²², E. Segura¹¹, S.C. Seidel¹⁰⁴,
 A. Seiden¹³⁸, F. Seifert⁴³, J.M. Seixas^{23a}, G. Sekhniaidze^{103a}, K.E. Selbach⁴⁵, D.M. Seliverstov¹²², B. Sellden^{147a},
 G. Sellers⁷⁴, M. Seman^{145b}, N. Semprini-Cesari^{19a,19b}, C. Serfon⁹⁹, L. Serin¹¹⁶, L. Serkin⁵⁴, R. Seuster¹⁰⁰,
 H. Severini¹¹², M.E. Seviator⁸⁷, A. Sfyrla²⁹, E. Shabalina⁵⁴, M. Shamim¹¹⁵, L.Y. Shan^{32a}, J.T. Shank²¹, Q.T. Shao⁸⁷,
 M. Shapiro¹⁴, P.B. Shatalov⁹⁶, L. Shaver⁶, K. Shaw^{165a,165c}, D. Sherman¹⁷⁷, P. Sherwood⁷⁸, A. Shibata¹⁰⁹,
 H. Shichi¹⁰², S. Shimizu²⁹, M. Shimojima¹⁰¹, T. Shin⁵⁶, M. Shiyakova⁶⁵, A. Shmeleva⁹⁵, M.J. Shochet³⁰,
 D. Short¹¹⁹, S. Shrestha⁶⁴, E. Shulga⁹⁷, M.A. Shupe⁶, P. Sicho¹²⁶, A. Sidoti^{133a}, F. Siegert⁴⁸, Dj. Sijacki^{12a},
 O. Silbert¹⁷³, J. Silva^{125a,b}, Y. Silver¹⁵⁴, D. Silverstein¹⁴⁴, S.B. Silverstein^{147a}, V. Simak¹²⁸, O. Simard¹³⁷,
 Lj. Simic^{12a}, S. Simion¹¹⁶, B. Simmons⁷⁸, M. Simonyan³⁵, P. Sinervo¹⁵⁹, N.B. Sinev¹¹⁵, V. Sipica¹⁴², G. Siragusa¹⁷⁵,
 A. Sircar²⁴, A.N. Sisakyan⁶⁵, S.Yu. Sivoklokov⁹⁸, J. Sjölin^{147a,147b}, T.B. Sjursen¹³, L.A. Skinnari¹⁴, H.P. Skottowe⁵⁷,
 K. Skovpen¹⁰⁸, P. Skubic¹¹², N. Skvorodnev²², M. Slater¹⁷, T. Slavicek¹²⁸, K. Sliwa¹⁶², J. Sloper²⁹, V. Smakhtin¹⁷³,
 B.H. Smart⁴⁵, S.Yu. Smirnov⁹⁷, Y. Smirnov⁹⁷, L.N. Smirnova⁹⁸, O. Smirnova⁸⁰, B.C. Smith⁵⁷, D. Smith¹⁴⁴,
 K.M. Smith⁵³, M. Smizanska⁷², K. Smolek¹²⁸, A.A. Snesarev⁹⁵, S.W. Snow⁸³, J. Snow¹¹², J. Snuverink¹⁰⁶,
 S. Snyder²⁴, M. Soares^{125a}, R. Sobie^{170,j}, J. Sodomka¹²⁸, A. Soffer¹⁵⁴, C.A. Solans¹⁶⁸, M. Solar¹²⁸, J. Solc¹²⁸,
 E. Soldatov⁹⁷, U. Soldevila¹⁶⁸, E. Solfaroli Camillocci^{133a,133b}, A.A. Solodkov¹²⁹, O.V. Solovyanov¹²⁹, N. Soni²,
 V. Sopko¹²⁸, B. Sopko¹²⁸, M. Sosebee⁷, R. Soualah^{165a,165c}, A. Soukharev¹⁰⁸, S. Spagnolo^{73a,73b}, F. Spanò⁷⁷,
 R. Spighi^{19a}, G. Spigo²⁹, F. Spila^{133a,133b}, R. Spiwoks²⁹, M. Spousta¹²⁷, T. Spreitzer¹⁵⁹, B. Spurlock⁷,
 R.D. St. Denis⁵³, J. Stahlman¹²¹, R. Stamen^{58a}, E. Stanecka³⁸, R.W. Stanek⁵, C. Stanescu^{135a}, S. Stapnes¹¹⁸,
 E.A. Starchenko¹²⁹, J. Stark⁵⁵, P. Staroba¹²⁶, P. Starovoitov⁹², A. Staude⁹⁹, P. Stavina^{145a}, G. Stavropoulos¹⁴,
 G. Steele⁵³, P. Steinbach⁴³, P. Steinberg²⁴, I. Stekl¹²⁸, B. Stelzer¹⁴³, H.J. Stelzer⁸⁹, O. Stelzer-Chilton^{160a},
 H. Stenzel⁵², S. Stern¹⁰⁰, K. Stevenson⁷⁶, G.A. Stewart²⁹, J.A. Stillings²⁰, M.C. Stockton⁸⁶, K. Stoerig⁴⁸,
 G. Stoicea^{25a}, S. Stonjek¹⁰⁰, P. Strachota¹²⁷, A.R. Stradling⁷, A. Straessner⁴³, J. Strandberg¹⁴⁸,
 S. Strandberg^{147a,147b}, A. Strandlie¹¹⁸, M. Strang¹¹⁰, E. Strauss¹⁴⁴, M. Strauss¹¹², P. Strizenec^{145b}, R. Ströhmer¹⁷⁵,
 D.M. Strom¹¹⁵, J.A. Strong^{77,*}, R. Stroynowski³⁹, J. Strube¹³⁰, B. Stugu¹³, I. Stumer^{24,*}, J. Stupak¹⁴⁹,
 P. Sturm¹⁷⁶, N.A. Styles⁴¹, D.A. Soh^{152,u}, D. Su¹⁴⁴, HS. Subramania², A. Succuro¹¹, Y. Sugaya¹¹⁷, T. Sugimoto¹⁰²,
 C. Suhr¹⁰⁷, K. Suita⁶⁷, M. Suk¹²⁷, V.V. Sulin⁹⁵, S. Sultansoy^{3d}, T. Sumida⁶⁸, X. Sun⁵⁵, J.E. Sundermann⁴⁸,
 K. Suruliz¹⁴⁰, S. Sushkov¹¹, G. Susinno^{36a,36b}, M.R. Sutton¹⁵⁰, Y. Suzuki⁶⁶, Y. Suzuki⁶⁷, M. Svatos¹²⁶,
 Yu.M. Sviridov¹²⁹, S. Swedish¹⁶⁹, I. Sykora^{145a}, T. Sykora¹²⁷, B. Szeless²⁹, J. Sánchez¹⁶⁸, D. Ta¹⁰⁶, K. Tackmann⁴¹,
 A. Taffard¹⁶⁴, R. Tafirout^{160a}, N. Taiblum¹⁵⁴, Y. Takahashi¹⁰², H. Takai²⁴, R. Takashima⁶⁹, H. Takeda⁶⁷,
 T. Takeshita¹⁴¹, Y. Takubo⁶⁶, M. Talby⁸⁴, A. Talyshev^{108,f}, M.C. Tamsett²⁴, J. Tanaka¹⁵⁶, R. Tanaka¹¹⁶,
 S. Tanaka¹³², S. Tanaka⁶⁶, Y. Tanaka¹⁰¹, A.J. Tanasijczuk¹⁴³, K. Tani⁶⁷, N. Tannoury⁸⁴, G.P. Tappern²⁹,
 S. Tapprogge⁸², D. Tardif¹⁵⁹, S. Tarem¹⁵³, F. Tarrade²⁸, G.F. Tartarelli^{90a}, P. Tas¹²⁷, M. Tasevsky¹²⁶,
 E. Tassi^{36a,36b}, M. Tatarkhanov¹⁴, Y. Tayalati^{136d}, C. Taylor⁷⁸, F.E. Taylor⁹³, G.N. Taylor⁸⁷, W. Taylor^{160b},
 M. Teinturier¹¹⁶, M. Teixeira Dias Castanheira⁷⁶, P. Teixeira-Dias⁷⁷, K.K. Temming⁴⁸, H. Ten Kate²⁹,
 P.K. Teng¹⁵², S. Terada⁶⁶, K. Terashi¹⁵⁶, J. Terron⁸¹, M. Testa⁴⁷, R.J. Teuscher^{159,j}, J. Thadome¹⁷⁶, J. Therhaag²⁰,
 T. Theveneaux-Pelzer⁷⁹, M. Thioye¹⁷⁷, S. Thoma⁴⁸, J.P. Thomas¹⁷, E.N. Thompson³⁴, P.D. Thompson¹⁷,
 P.D. Thompson¹⁵⁹, A.S. Thompson⁵³, L.A. Thomsen³⁵, E. Thomson¹²¹, M. Thomson²⁷, R.P. Thun⁸⁸, F. Tian³⁴,
 M.J. Tibbetts¹⁴, T. Tic¹²⁶, V.O. Tikhomirov⁹⁵, Y.A. Tikhonov^{108,f}, S. Timoshenko⁹⁷, P. Tipton¹⁷⁷,
 F.J. Tique Aires Viegas²⁹, S. Tisserant⁸⁴, B. Toczek³⁷, T. Todorov⁴, S. Todorova-Nova¹⁶², B. Toggerson¹⁶⁴,
 J. Tojo⁶⁶, S. Tokár^{145a}, K. Tokunaga⁶⁷, K. Tokushuku⁶⁶, K. Tollefson⁸⁹, M. Tomoto¹⁰², L. Tompkins³⁰, K. Toms¹⁰⁴,
 G. Tong^{32a}, A. Tonoyan¹³, C. Topfel¹⁶, N.D. Topilin⁶⁵, I. Torchiani²⁹, E. Torrence¹¹⁵, H. Torres⁷⁹, E. Torró
 Pastor¹⁶⁸, J. Toth^{84,aa}, F. Touchard⁸⁴, D.R. Tovey¹⁴⁰, T. Trefzger¹⁷⁵, L. Tremblet²⁹, A. Tricoli²⁹, I.M. Trigger^{160a},
 S. Trincaz-Duvoid⁷⁹, T.N. Trinh⁷⁹, M.F. Tripijana⁷¹, W. Trischuk¹⁵⁹, A. Trivedi^{24,z}, B. Trocmé⁵⁵, C. Troncon^{90a},
 M. Trotter-McDonald¹⁴³, M. Trzebinski³⁸, A. Trzupek³⁸, C. Tsarouchas²⁹, J.C.-L. Tseng¹¹⁹, M. Tsiakiris¹⁰⁶,
 P.V. Tsiarehka⁹¹, D. Tsiou^{4,ae}, G. Tsipolitis⁹, V. Tsiskaridze⁴⁸, E.G. Tskhadadze^{51a}, I.I. Tsukerman⁹⁶,
 V. Tsulaia¹⁴, J.-W. Tsung²⁰, S. Tsuno⁶⁶, D. Tsybychev¹⁴⁹, A. Tua¹⁴⁰, A. Tudorache^{25a}, V. Tudorache^{25a},
 J.M. Tuggle³⁰, M. Turala³⁸, D. Turecek¹²⁸, I. Turk Cakir^{3e}, E. Turlay¹⁰⁶, R. Turra^{90a,90b}, P.M. Tuts³⁴,
 A. Tykhonov⁷⁵, M. Tylmad^{147a,147b}, M. Tyndel¹³⁰, G. Tzanakos⁸, K. Uchida²⁰, I. Ueda¹⁵⁶, R. Ueno²⁸, M. Uglan¹³,
 M. Uhlenbrock²⁰, M. Uhrmacher⁵⁴, F. Ukegawa¹⁶¹, G. Unal²⁹, D.G. Underwood⁵, A. Undrus²⁴, G. Unel¹⁶⁴,
 Y. Unno⁶⁶, D. Urbaniec³⁴, G. Usai⁷, M. Uslenghi^{120a,120b}, L. Vacavant⁸⁴, V. Vacek¹²⁸, B. Vachon⁸⁶, S. Vahsen¹⁴,
 J. Valenta¹²⁶, P. Valente^{133a}, S. Valentinetti^{19a,19b}, S. Valkar¹²⁷, E. Valladolid Gallego¹⁶⁸, S. Vallecorsa¹⁵³,
 J.A. Valls Ferrer¹⁶⁸, H. van der Graaf¹⁰⁶, E. van der Kraaij¹⁰⁶, R. Van Der Leeuw¹⁰⁶, E. van der Poel¹⁰⁶,
 D. van der Ster²⁹, N. van Eldik⁸⁵, P. van Gemmeren⁵, Z. van Kesteren¹⁰⁶, I. van Vulpen¹⁰⁶, M. Vanadia¹⁰⁰,
 W. Vandelli²⁹, G. Vandoni²⁹, A. Vaniachine⁵, P. Vankov⁴¹, F. Vannucci⁷⁹, F. Varela Rodriguez²⁹, R. Vari^{133a},
 E.W. Varnes⁶, D. Varouchas¹⁴, A. Vartapetian⁷, K.E. Varvell¹⁵¹, V.I. Vassilakopoulos⁵⁶, F. Vazeille³³,

G. Vegni^{90a,90b}, J.J. Veillet¹¹⁶, C. Vellidis⁸, F. Veloso^{125a}, R. Veness²⁹, S. Veneziano^{133a}, A. Ventura^{73a,73b}, D. Ventura¹³⁹, M. Venturi⁴⁸, N. Venturi¹⁵⁹, V. Vercesi^{120a}, M. Verducci¹³⁹, W. Verkerke¹⁰⁶, J.C. Vermeulen¹⁰⁶, A. Vest⁴³, M.C. Vetterli^{143,d}, I. Vichou¹⁶⁶, T. Vickey^{146b,af}, O.E. Vickey Boeriu^{146b}, G.H.A. Viehhauser¹¹⁹, S. Viel¹⁶⁹, M. Villa^{19a,19b}, M. Villaplana Perez¹⁶⁸, E. Vilucchi⁴⁷, M.G. Vincter²⁸, E. Vinek²⁹, V.B. Vinogradov⁶⁵, M. Virchaux^{137,*}, J. Virzi¹⁴, O. Vitells¹⁷³, M. Viti⁴¹, I. Vivarelli⁴⁸, F. Vives Vaque², S. Vlachos⁹, D. Vladoiu⁹⁹, M. Vlasak¹²⁸, N. Vlasov²⁰, A. Vogel²⁰, P. Vokac¹²⁸, G. Volpi⁴⁷, M. Volpi⁸⁷, G. Volpini^{90a}, H. von der Schmitt¹⁰⁰, J. von Loeben¹⁰⁰, H. von Radziewski⁴⁸, E. von Toerne²⁰, V. Vorobel¹²⁷, A.P. Vorobiev¹²⁹, V. Vorwerk¹¹, M. Vos¹⁶⁸, R. Voss²⁹, T.T. Voss¹⁷⁶, J.H. Vosseveld⁷⁴, N. Vranjes¹³⁷, M. Vranjes Milosavljevic¹⁰⁶, V. Vrba¹²⁶, M. Vreeswijk¹⁰⁶, T. Vu Anh⁴⁸, R. Vuillemet²⁹, I. Vukotic¹¹⁶, W. Wagner¹⁷⁶, P. Wagner¹²¹, H. Wahlen¹⁷⁶, J. Wakabayashi¹⁰², J. Walbersloh⁴², S. Walch⁸⁸, J. Walder⁷², R. Walker⁹⁹, W. Walkowiak¹⁴², R. Wall¹⁷⁷, P. Waller⁷⁴, C. Wang⁴⁴, H. Wang¹⁷⁴, H. Wang^{32b,ag}, J. Wang¹⁵², J. Wang⁵⁵, J.C. Wang¹³⁹, R. Wang¹⁰⁴, S.M. Wang¹⁵², A. Warburton⁸⁶, C.P. Ward²⁷, M. Warsinsky⁴⁸, P.M. Watkins¹⁷, A.T. Watson¹⁷, I.J. Watson¹⁵¹, M.F. Watson¹⁷, G. Watts¹³⁹, S. Watts⁸³, A.T. Waugh¹⁵¹, B.M. Waugh⁷⁸, M. Weber¹³⁰, M.S. Weber¹⁶, P. Weber⁵⁴, A.R. Weidberg¹¹⁹, P. Weigell¹⁰⁰, J. Weingarten⁵⁴, C. Weiser⁴⁸, H. Wellenstein²², P.S. Wells²⁹, M. Wen⁴⁷, T. Wenaus²⁴, D. Wendland¹⁵, S. Wendler¹²⁴, Z. Weng^{152,u}, T. Wengler²⁹, S. Wenig²⁹, N. Wermes²⁰, M. Werner⁴⁸, P. Werner²⁹, M. Werth¹⁶⁴, M. Wessels^{58a}, C. Weydert⁵⁵, K. Whalen²⁸, S.J. Wheeler-Ellis¹⁶⁴, S.P. Whitaker²¹, A. White⁷, M.J. White⁸⁷, S.R. Whitehead¹¹⁹, D. Whiteson¹⁶⁴, D. Whittington⁶¹, F. Wicke¹¹⁶, D. Wicke¹⁷⁶, F.J. Wickens¹³⁰, W. Wiedenmann¹⁷⁴, M. Wielers¹³⁰, P. Wienemann²⁰, C. Wiglesworth⁷⁶, L.A.M. Wiik-Fuchs⁴⁸, P.A. Wijeratne⁷⁸, A. Wildauer¹⁶⁸, M.A. Wildt^{41,q}, I. Wilhelm¹²⁷, H.G. Wilkens²⁹, J.Z. Will⁹⁹, E. Williams³⁴, H.H. Williams¹²¹, W. Willis³⁴, S. Willocq⁸⁵, J.A. Wilson¹⁷, M.G. Wilson¹⁴⁴, A. Wilson⁸⁸, I. Wingerter-Seez⁴, S. Winkelmann⁴⁸, F. Winklmeier²⁹, M. Wittgen¹⁴⁴, M.W. Wolter³⁸, H. Wolters^{125a,h}, W.C. Wong⁴⁰, G. Wooden⁸⁸, B.K. Wosiek³⁸, J. Wotschack²⁹, M.J. Woudstra⁸⁵, K.W. Wozniak³⁸, K. Wraight⁵³, C. Wright⁵³, M. Wright⁵³, B. Wrona⁷⁴, S.L. Wu¹⁷⁴, X. Wu⁴⁹, Y. Wu^{32b,ah}, E. Wulf³⁴, R. Wunstorff⁴², B.M. Wynne⁴⁵, S. Xella³⁵, M. Xiao¹³⁷, S. Xie⁴⁸, Y. Xie^{32a}, C. Xu^{32b,w}, D. Xu¹⁴⁰, G. Xu^{32a}, B. Yabsley¹⁵¹, S. Yacoub^{146b}, M. Yamada⁶⁶, H. Yamaguchi¹⁵⁶, A. Yamamoto⁶⁶, K. Yamamoto⁶⁴, S. Yamamoto¹⁵⁶, T. Yamamura¹⁵⁶, T. Yamanaka¹⁵⁶, J. Yamaoka⁴⁴, T. Yamazaki¹⁵⁶, Y. Yamazaki⁶⁷, Z. Yan²¹, H. Yang⁸⁸, U.K. Yang⁸³, Y. Yang⁶¹, Y. Yang^{32a}, Z. Yang^{147a,147b}, S. Yanush⁹², Y. Yao¹⁴, Y. Yasu⁶⁶, G.V. Ybeles Smit¹³¹, J. Ye³⁹, S. Ye²⁴, M. Yilmaz^{3c}, R. Yoosoofmiya¹²⁴, K. Yorita¹⁷², R. Yoshida⁵, C. Young¹⁴⁴, S. Youssef²¹, D. Yu²⁴, J. Yu⁷, J. Yu¹¹³, L. Yuan^{32a,ai}, A. Yurkewicz¹⁰⁷, B. Zabinski³⁸, V.G. Zaets¹²⁹, R. Zaidan⁶³, A.M. Zaitsev¹²⁹, Z. Zajacova²⁹, L. Zanello^{133a,133b}, P. Zarzhitsky³⁹, A. Zaytsev¹⁰⁸, C. Zeitnitz¹⁷⁶, M. Zeller¹⁷⁷, M. Zeman¹²⁶, A. Zemla³⁸, C. Zender²⁰, O. Zenin¹²⁹, T. Ženiš^{145a}, Z. Zinonos^{123a,123b}, S. Zenz¹⁴, D. Zerwas¹¹⁶, G. Zevi della Porta⁵⁷, Z. Zhan^{32d}, D. Zhang^{32b,ag}, H. Zhang⁸⁹, J. Zhang⁵, X. Zhang^{32d}, Z. Zhang¹¹⁶, L. Zhao¹⁰⁹, T. Zhao¹³⁹, Z. Zhao^{32b}, A. Zhemchugov⁶⁵, S. Zheng^{32a}, J. Zhong¹¹⁹, B. Zhou⁸⁸, N. Zhou¹⁶⁴, Y. Zhou¹⁵², C.G. Zhu^{32d}, H. Zhu⁴¹, J. Zhu⁸⁸, Y. Zhu^{32b}, X. Zhuang⁹⁹, V. Zhuravlov¹⁰⁰, D. Ziemska⁶¹, R. Zimmermann²⁰, S. Zimmermann²⁰, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴², R. Zitoun⁴, L. Živković³⁴, V.V. Zmouchko^{129,*}, G. Zobernig¹⁷⁴, A. Zoccoli^{19a,19b}, Y. Zolnierowski⁴, A. Zsenei²⁹, M. zur Nedden¹⁵, V. Zutshi¹⁰⁷, L. Zwalinski²⁹.

¹ University at Albany, Albany NY, United States of America

² Department of Physics, University of Alberta, Edmonton AB, Canada

³ (a)Department of Physics, Ankara University, Ankara; (b)Department of Physics, Dumlupinar University, Kutahya;

(c)Department of Physics, Gazi University, Ankara; (d)Division of Physics, TOBB University of Economics and Technology, Ankara; (e)Turkish Atomic Energy Authority, Ankara, Turkey

⁴ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁵ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

⁶ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁷ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America

⁸ Physics Department, University of Athens, Athens, Greece

⁹ Physics Department, National Technical University of Athens, Zografou, Greece

¹⁰ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹¹ Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain

¹² (a)Institute of Physics, University of Belgrade, Belgrade; (b)Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

¹³ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁴ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America

¹⁵ Department of Physics, Humboldt University, Berlin, Germany

¹⁶ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern,

Bern, Switzerland

¹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

¹⁸ ^(a)Department of Physics, Bogazici University, Istanbul; ^(b)Division of Physics, Dogus University, Istanbul;

^(c)Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d)Department of Physics, Istanbul Technical University, Istanbul, Turkey

¹⁹ ^(a)INFN Sezione di Bologna; ^(b)Dipartimento di Fisica, Università di Bologna, Bologna, Italy

²⁰ Physikalisches Institut, University of Bonn, Bonn, Germany

²¹ Department of Physics, Boston University, Boston MA, United States of America

²² Department of Physics, Brandeis University, Waltham MA, United States of America

²³ ^(a)Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b)Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c)Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d)Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

²⁴ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America

²⁵ ^(a)National Institute of Physics and Nuclear Engineering, Bucharest; ^(b)University Politehnica Bucharest, Bucharest; ^(c)West University in Timisoara, Timisoara, Romania

²⁶ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

²⁷ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

²⁸ Department of Physics, Carleton University, Ottawa ON, Canada

²⁹ CERN, Geneva, Switzerland

³⁰ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America

³¹ ^(a)Departamento de Fisica, Pontificia Universidad Católica de Chile, Santiago; ^(b)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³² ^(a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b)Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c)Department of Physics, Nanjing University, Jiangsu; ^(d)School of Physics, Shandong University, Shandong, China

³³ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Aubiere Cedex, France

³⁴ Nevis Laboratory, Columbia University, Irvington NY, United States of America

³⁵ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

³⁶ ^(a)INFN Gruppo Collegato di Cosenza; ^(b)Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy

³⁷ AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland

³⁸ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland

³⁹ Physics Department, Southern Methodist University, Dallas TX, United States of America

⁴⁰ Physics Department, University of Texas at Dallas, Richardson TX, United States of America

⁴¹ DESY, Hamburg and Zeuthen, Germany

⁴² Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴³ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany

⁴⁴ Department of Physics, Duke University, Durham NC, United States of America

⁴⁵ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁴⁶ Fachhochschule Wiener Neustadt, Johannes Gutenbergstrasse 3 2700 Wiener Neustadt, Austria

⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy

⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg i.Br., Germany

⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland

⁵⁰ ^(a)INFN Sezione di Genova; ^(b)Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵¹ ^(a)E.Andronikashvili Institute of Physics, Tbilisi State University, Tbilisi; ^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵³ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France

⁵⁶ Department of Physics, Hampton University, Hampton VA, United States of America

⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America

⁵⁸ ^(a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c)ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

⁵⁹ Faculty of Science, Hiroshima University, Hiroshima, Japan

- 60 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- 61 Department of Physics, Indiana University, Bloomington IN, United States of America
- 62 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- 63 University of Iowa, Iowa City IA, United States of America
- 64 Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- 65 Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- 66 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- 67 Graduate School of Science, Kobe University, Kobe, Japan
- 68 Faculty of Science, Kyoto University, Kyoto, Japan
- 69 Kyoto University of Education, Kyoto, Japan
- 70 Department of Physics, Kyushu University, Fukuoka, Japan
- 71 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- 72 Physics Department, Lancaster University, Lancaster, United Kingdom
- 73 ^(a)INFN Sezione di Lecce; ^(b)Dipartimento di Fisica, Università del Salento, Lecce, Italy
- 74 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- 75 Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- 76 School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- 77 Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- 78 Department of Physics and Astronomy, University College London, London, United Kingdom
- 79 Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- 80 Fysiska institutionen, Lunds universitet, Lund, Sweden
- 81 Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- 82 Institut für Physik, Universität Mainz, Mainz, Germany
- 83 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 84 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- 85 Department of Physics, University of Massachusetts, Amherst MA, United States of America
- 86 Department of Physics, McGill University, Montreal QC, Canada
- 87 School of Physics, University of Melbourne, Victoria, Australia
- 88 Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- 89 Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- 90 ^(a)INFN Sezione di Milano; ^(b)Dipartimento di Fisica, Università di Milano, Milano, Italy
- 91 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- 92 National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
- 93 Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America
- 94 Group of Particle Physics, University of Montreal, Montreal QC, Canada
- 95 P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- 96 Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- 97 Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- 98 Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
- 99 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- 100 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- 101 Nagasaki Institute of Applied Science, Nagasaki, Japan
- 102 Graduate School of Science, Nagoya University, Nagoya, Japan
- 103 ^(a)INFN Sezione di Napoli; ^(b)Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
- 104 Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- 105 Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- 106 Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- 107 Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- 108 Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- 109 Department of Physics, New York University, New York NY, United States of America
- 110 Ohio State University, Columbus OH, United States of America
- 111 Faculty of Science, Okayama University, Okayama, Japan
- 112 Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- 113 Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- 114 Palacký University, RCPTM, Olomouc, Czech Republic

- 115 Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
 116 LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France
 117 Graduate School of Science, Osaka University, Osaka, Japan
 118 Department of Physics, University of Oslo, Oslo, Norway
 119 Department of Physics, Oxford University, Oxford, United Kingdom
 120 ^(a)INFN Sezione di Pavia; ^(b)Dipartimento di Fisica, Università di Pavia, Pavia, Italy
 121 Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
 122 Petersburg Nuclear Physics Institute, Gatchina, Russia
 123 ^(a)INFN Sezione di Pisa; ^(b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
 124 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
 125 ^(a)Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal; ^(b)Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
 126 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
 127 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
 128 Czech Technical University in Prague, Praha, Czech Republic
 129 State Research Center Institute for High Energy Physics, Protvino, Russia
 130 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
 131 Physics Department, University of Regina, Regina SK, Canada
 132 Ritsumeikan University, Kusatsu, Shiga, Japan
 133 ^(a)INFN Sezione di Roma I; ^(b)Dipartimento di Fisica, Università La Sapienza, Roma, Italy
 134 ^(a)INFN Sezione di Roma Tor Vergata; ^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
 135 ^(a)INFN Sezione di Roma Tre; ^(b)Dipartimento di Fisica, Università Roma Tre, Roma, Italy
 136 ^(a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b)Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; ^(c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d)Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e)Faculté des Sciences, Université Mohammed V- Agdal, Rabat, Morocco
 137 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat a l'Energie Atomique), Gif-sur-Yvette, France
 138 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
 139 Department of Physics, University of Washington, Seattle WA, United States of America
 140 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 141 Department of Physics, Shinshu University, Nagano, Japan
 142 Fachbereich Physik, Universität Siegen, Siegen, Germany
 143 Department of Physics, Simon Fraser University, Burnaby BC, Canada
 144 SLAC National Accelerator Laboratory, Stanford CA, United States of America
 145 ^(a)Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 146 ^(a)Department of Physics, University of Johannesburg, Johannesburg; ^(b)School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 147 ^(a)Department of Physics, Stockholm University; ^(b)The Oskar Klein Centre, Stockholm, Sweden
 148 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 149 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
 150 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 151 School of Physics, University of Sydney, Sydney, Australia
 152 Institute of Physics, Academia Sinica, Taipei, Taiwan
 153 Department of Physics, Technion: Israel Inst. of Technology, Haifa, Israel
 154 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 155 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 156 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 157 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 158 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 159 Department of Physics, University of Toronto, Toronto ON, Canada
 160 ^(a)TRIUMF, Vancouver BC; ^(b)Department of Physics and Astronomy, York University, Toronto ON, Canada
 161 Institute of Pure and Applied Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba, Ibaraki 305-8571, Japan
 162 Science and Technology Center, Tufts University, Medford MA, United States of America

- ¹⁶³ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ¹⁶⁴ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America
- ¹⁶⁵ ^(a)INFN Gruppo Collegato di Udine; ^(b)ICTP, Trieste; ^(c)Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- ¹⁶⁶ Department of Physics, University of Illinois, Urbana IL, United States of America
- ¹⁶⁷ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- ¹⁶⁸ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- ¹⁶⁹ Department of Physics, University of British Columbia, Vancouver BC, Canada
- ¹⁷⁰ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- ¹⁷¹ Department of Physics, University of Warwick, Coventry, United Kingdom
- ¹⁷² Waseda University, Tokyo, Japan
- ¹⁷³ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷⁴ Department of Physics, University of Wisconsin, Madison WI, United States of America
- ¹⁷⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷⁶ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁷ Department of Physics, Yale University, New Haven CT, United States of America
- ¹⁷⁸ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁷⁹ Domaine scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France
- ^a Also at Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal
- ^b Also at Faculdade de Ciências and CFNUL, Universidade de Lisboa, Lisboa, Portugal
- ^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ^d Also at TRIUMF, Vancouver BC, Canada
- ^e Also at Department of Physics, California State University, Fresno CA, United States of America
- ^f Also at Novosibirsk State University, Novosibirsk, Russia
- ^g Also at Fermilab, Batavia IL, United States of America
- ^h Also at Department of Physics, University of Coimbra, Coimbra, Portugal
- ⁱ Also at Università di Napoli Parthenope, Napoli, Italy
- ^j Also at Institute of Particle Physics (IPP), Canada
- ^k Also at Department of Physics, Middle East Technical University, Ankara, Turkey
- ^l Also at Louisiana Tech University, Ruston LA, United States of America
- ^m Also at Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁿ Also at Group of Particle Physics, University of Montreal, Montreal QC, Canada
- ^o Also at Department of Physics, University of Cape Town, Cape Town, South Africa
- ^p Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^q Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany
- ^r Also at Manhattan College, New York NY, United States of America
- ^s Also at School of Physics, Shandong University, Shandong, China
- ^t Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ^u Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China
- ^v Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^w Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
- ^x Also at Section de Physique, Université de Genève, Geneva, Switzerland
- ^y Also at Departamento de Física, Universidade de Minho, Braga, Portugal
- ^z Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America
- ^{aa} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary
- ^{ab} Also at California Institute of Technology, Pasadena CA, United States of America
- ^{ac} Also at Institute of Physics, Jagiellonian University, Krakow, Poland
- ^{ad} Also at LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France
- ^{ae} Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- ^{af} Also at Department of Physics, Oxford University, Oxford, United Kingdom
- ^{ag} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^{ah} Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ^{ai} Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France

* Deceased